



AutoCpap-20



Shenyang RMS Medical Tech Co. Ltd

Picture for reference only is subject to material object

Product Specification

Model	BPAP20	BPAP25	BPAP30
Modes	CPAP,S,T,S/T	CPAP,S,T,S/T	CPAP,S,T,S/T
IPAP range	4-20 CmH ₂ O	4-25 CmH ₂ O	4-30 CmH ₂ O
EPAP range	4-20 CmH ₂ O	4-20 CmH ₂ O	4-20 CmH ₂ O
CPAP range	4-20 CmH ₂ O	4-20 CmH ₂ O	4-20 CmH ₂ O
I-trigger	Auto,1-6	Auto,1-6	Auto,1-6
E-trigger	Auto,1-6	Auto,1-6	Auto,1-6
IPAP rise time	Auto,0.1-0.6s	Auto,0.1-0.6s	Auto,0.1-0.6s
Breath rate	2-40 bpm	2-40 bpm	2-40 bpm
Noise Level (dB)	<28dB	<28dB	<28dB
Ramp time(minute)	0-60	0-60	0-60
Display data	Vt,Vleak,Rate,I:E	IPAP, EPAP, Rate(bpm), I:E, Vt, Vleak, Mvent, Trigger I/E	IPAP, EPAP, Rate(bpm), I:E, Vt, Vleak, Mvent, Trigger I/E
Alarms	Tube alarm, Apnea alarm & power failure	Tube Alarm, Apnea Alarm, High/ low rate Alarms & power failure	Tube Alarm, Apnea Alarm, High/ low rate Alarms Mvent alarm & power failure
Dimensions	18*27*11cm	18*27*11cm	18*27*11cm
Weight	1.7 Kg	1.7 Kg	1.7 Kg
Screen size	2.4 inch	4.3 inch	4.3 inch
Heated humidifier	Integrated	Integrated	Integrated
Memory	Micro SD Card - 8 GB	Micro SD Card - 8 GB	Micro SD Card - 8 GB
Warranty	2 years	2 years	2 years

Electrical Characteristics

Electrical supply	100-240V, 50-60 Hz
Power Consumption	≤ 80W with Humidifier
93/42/EC Classification	Class II A

Environmental requirements

Temperature	5°C-35°C
Humidity	30-95%, no condensation
Storage	-20-60-°C
Altitude	From Sea level to 2700 mtrs



Shenyang RMS Medical Tech Co. Ltd.


India Office :

Mobile: +91-9717986888, 9717228868

E-mail : pankaj@rms-care.com

Headquarters: U11 Building, 153-5, Chuangxin Road, Hunnan New District, Shenyang.

■ No. 8-1, Gaoge Road, Hunan New District, Shenyang



Mode->S/T	
Mode	S/T
IPAP	4.0 CmH ₂ O
EPAP	0.40 CmH ₂ O
Rise Time	0.1 Sec
Rate	10.0 bpm
Insp Time	1.5 Sec
I-trigger	6

Product Specification



Characteristics	
Modes	CPAP, Auto-CPAP
Pressure range	4-20 CmH2O
Ramp time	0-60 minutes
Noise level	<28dB
Alarms	Tube alarm, Apnea alarm & power failure
Memory	Micro SD Card - 8 GB
Heated humidifier	Integrated
Warranty	2 years

Physical Characteristics	
Dimensions	18*27*11cm
Weight	1.7 Kg
Screen size	2.4 inch

Electrical Characteristics	
Electrical supply	100-240V, 50-60 Hz
Power Consumption	≤ 80W with Humidifier
93/42/EC Classification	Class II A

Environmental requirements	
Temperature	5°C-35°C
Humidity	30-95%, no condensation
Storage	-20-60-°C
Altitude	From Sea level to 2700 mtrs



Shenyang RMS Medical Tech Co. Ltd.

India Office :

Mobile: +91-9717986888, 9717228868


E-mail : pankaj@rms-care.com

Headquarters: U11 Building, 153-5, Chuangxin Road,
Hunnan New District, Shenyang.

No. 8-1, Gaoge Road, Hunan New District, Shenyang

www.rms-care.com/en

Mode->APAP		
Mode	APAP	
CPAP Start	4.0	CmH2O
CPAP Max	11.6	CmH2O
CPAP Min	4.0	CmH2O
Ramp	5	min
C-Flex	3	



Non-invasive ventilator



Shenyang RMS Medical Tech Co. Ltd