



OMEGA



The platform stairlift for curved staircases

The OMEGA platform lift gives wheelchair users or mobility impaired persons the possibility to overcome staircases or steep ramps without the assistance of an attendant. It is designed for access over stairs with multiple levels, curves or intermediate landings. As an alternative to an elevator or a vertical platform lift, the Omega requires no structural changes to the staircase.

When the platform is folded, the OMEGA is the narrowest stairlift on the market, leaving maximum clearance on the staircase! Because of the compact construction, the installation is possible at almost all staircases. Indoors or outdoors, the lift gently integrates into every surrounding area. Whether for private or public uses, straight or curved staircases, the Omega is a synonym for mobility and quality of life.

OMEGA

Reliability

Constant power supply to the platform (without batteries) allows extra long travels and a reliable performance of the platform functions, even outdoors in wet or cold winter conditions.

Quality and Safety

Numerous safety mechanisms fulfil the highest technical standards. TÜV certified according to the European Norm EN 81-40.

Comfort

Fully automatic platform functions and ergonomic controls allow a simple and comfortable control of the platform.



Robust platform mechanics allow installation in **cold or wet locations**



Available in a **stainless steel version**, the platform fulfils highest architectural standards



Special platform sizes and asymmetrical shapes to custom fit any staircase and maximize user friendliness!



Very slim platform – The folded platform allows to comfortably store away the platform



The **drive without batteries** allows for very long rail lengths



Available in **any RAL colour**, the platform can blend elegantly into any surrounding

Main advantages of the Omega platform stairlift

- The slimmest curved platform stairlift on the market
- Compact design allows installations on very narrow staircases
- Custom made platform sizes are possible
- Available in all RAL colours or as a stainless steel version
- Available as indoor and outdoor version
- Diagnostic display for status and error indication on the platform
- Platform frame and mechanics are built from solid steel parts making the platform robust and secure against vandalism
- TÜV approved and manufactured according to the European standard EN 81-40

Rail fixing directly to the wall allows for a maximum platform size





Handset on spiral cable on the platform allows to comfortably control the platform while sitting in the wheelchair or on the folding seat

Joystick on the platform as an optional control function

Landing controls in an elegant design can be used as handheld controls or can be fixed to the wall

Omega - Technical specifications

Facts

Loading capacity	225kg (optional 300kg)
Platform width (min-max)	600 – 900 mm
Platform length (min-max)	700 – 1400 mm
Possible gradient	0 – 67°
Speed	0,06 – 0,15 m/s
Noise level	Unter 60 dB
Temperature range	+45°C bis -25°C
Power supply	1 x 230V / 50–60 Hz

Certificates





TÜV certified to EN 81-40

Construction example

The folded platform occupies only 275 mm from the wall!

A platform with 700 mm width requires a staircase width of only 880mm!



Together we provide accessibility!

For further information please contact:



Platform stairlifts



Chair stairlifts



Vertical platformlifts



Stairclimbers



Poollifts

Official partner of:

LEHNER
LIFTTECHNIK