



### RULE EVERY ROAD WITH INDIA'S MOST POWERFUL ELECTRIC 3 WHEELER CARGO\*





Fixed battery technology



to DV















Trust of Apé range

Apé Goes Electric. India Goes Electric.



Telematics solution



Widest

Network

Low maintenance:

No engine, clutch or

gear-related expenses

## ITALIAN DESIGN. STYLISH LOOKS













# Introducing iConnect: Piaggio's own telematics solution

Get real-time vehicle information on your smartphone





### **Technical Specifications**

Toommout opcome	Jaciono		
Attribu	tes /	Apé E-Xtra FX	
Vehicle Cate	gory	L5N	
Seating Capac	city	Driver only	
Battery & Pow	er /		
Battery Type, Volta	ge / Lith	ium lon, 48V	
Battery Capacity	Rato	ed : 8 kWh	
Peak Power	9.55 kW	@ 3500 rpm	
Peak Torque	/ 45	Nm	
Transmission			
Transmission Type	PT gear with differential (Integral)		
Suspension & Brakes			
Front	Helical spring with d	<u> </u>	
Rear	Rubber spring with dampener		
Steering	Handle bar type		
Brake		Drum brake hydraulically actuated (Front & Rear)	
Tyre	4.5 - 10'		
Dimensions			
Wheelbase	2100 mm		
Overall Width	1490 mm		
Overall Length /	3315 mm		
/ Overall Height	1770 mm		
Minimum Ground Clearance	220 mm		
Cargo Box Dimensions (LxWxH)	1830 mm x 1400 mm x 285 mm		
Weights	075		
Gross Vehicle Weight (With Batteries)	975 kg	_/	
Payload	506 kg		
Performance Tan Chand	AE Loro (In		
Top Speed	45 km/h Plea		
Typical Driving Range (On Road)  Gradeability	90 ± 5 KIIIS part o		
Home Charger	17%	technic Specific	
	3000W Off-board charger	Specific	
Charge Duration 460 7	3 hours, 45 mins		
onargo baration /	5 Hours, 45 Hills		



#### **PIAGGIO VEHICLES PRIVATE LIMITED**

8th Floor, Sky One, Kalyani Nagar, Pune - 411 006 Tel.: 020 - 6749 2800 | www.piaggio.co.in www.piaggio-cv.co.in/apeelectrik

For sales enquiry mail at Ape.Electric@piaggio.co.in

Please note that the images and technical specifications shown in the chart may showcase accessories and equipment which are not part of the standard fitment. Piaggio reserves the rights to alter the technical specifications and features without prior notice.

Specifications are subject to improvements / changes.