


SUPAFLEX

www.supaflex.co.in

PRODUCT

CATALOG



Industrial **PVC WIRING DUCTS**


| NARROW SLOT | WIDE SLOT | UN-SLOTTED

CE  **RoHS**

A trusted **BRAND** for industrial needs

NEW
Product Launch


PVC WIRING DUCT, TOOLS & ACCESSORIES



NEW
Product Launch

PVC WIRING DUCTS

CE RoHS



- ✓ **Material** : Rigid Polyvinylchloride
- ✓ **Tensile Strength** : 320 kg/cm
- ✓ **Temperature Range** : -30°C - 60°C
- ✓ **Flammability** : UL94V-0 Raw Material
- ✓ **Mounting Hole Pattern** as per DIN Standard
- ✓ **Non Slip Cover**
- ✓ **Double Restoration Slot**
- ✓ **Wide & Narrow Slot**
- ✓ **Bur Free Edges**
- ✓ **Type A & Type B locking**
- ✓ **Non Brittle**

Available in Colors

- Grey
- White
- Black (Other colors are available on request)



Formula for Calculating Fill Capacity

$$\text{NUMBER OF WIRES} = \frac{\text{Duct W x H}}{1.75 \times (\text{Wire O.D.})^2 / 2}$$



PVC WIRING DUCT, TOOLS & ACCESSORIES

TYPE-A LOCKING



PVC WIRING DUCT NARROW SLOT

Available in
1 Mtr & 2 Mtr

S.N.	Part Number	Size HxW (mm)	Pck. (Mtr.)
1	SFWDN15X15	15x15	250
2	SFWDN25X25	25x25	120
3	SFWDN30X25	30x25	120
4	SFWDN40X30	40x30	100
5	SFWDN45X25	45x25	120
6	SFWDN45X45	45x45	70
7	SFWDN45X60	45x60	40
8	SFWDN60X25	60x25	90
9	SFWDN60X40	60x40	50
10	SFWDN60X45	60x45	50
11	SFWDN60X60	60x60	40
12	SFWDN75X25	75x25	70
13	SFWDN75X45	75x45	44
14	SFWDN75X60	75x60	38
15	SFWDN75X75	75x75	24
16	SFWDN50X100	50x100	24
17	SFWDN60X100	60x100	24
18	SFWDN100X100	100x100	18

UN-SLOTTED also available


PVC WIRING DUCT WIDE SLOT

Available in
1 Mtr & 2 Mtr

S.N.	Part Number	Size HxW (mm)	Pck. (Mtr.)
1	SFWDW15X15	15x15	250
2	SFWDW25X25	25x25	120
3	SFWDW30X25	30x25	120
4	SFWDW40X30	40x30	100
5	SFWDW45X25	45x25	120
6	SFWDW45X45	45x45	70
7	SFWDW45X60	45x60	40
8	SFWDW60X25	60x25	90
9	SFWDW60X40	60x40	50
10	SFWDW60X45	60x45	50
11	SFWDW60X60	60x60	40
12	SFWDW75X25	75x25	70
13	SFWDW75X45	75x45	44
14	SFWDW75X60	75x60	38
15	SFWDW75X75	75x75	24
16	SFWDW50X100	50x100	24
17	SFWDW60X100	60x100	24
18	SFWDW100X100	100x100	18

UN-SLOTTED also available

TYPE-B LOCKING



PVC WIRING DUCT NARROW SLOT

Available in
1 Mtr & 2 Mtr

S.N.	Part Number	Size HxW (mm)	Pck. (Mtr.)
1	SFWDN25X25	25x25	120
2	SFWDN40x30	40x30	100
3	SFWDN45X25	45x25	120
4	SFWDN60X25	60x25	70
5	SFWDN45X45	45x45	40
6	SFWDN60X40	60x40	90
7	SFWDN60X60	60x60	50
8	SFWDN80X40	80x40	50
9	SFWDN80X60	80x60	40
10	SFWDN80X80	80x80	44
11	SFWDN100X60	100x60	70

Tools & Accessories

Cutting Tool



Rivet Installation Tool



Rivet



SUPA FLEX PVT. LTD.

Address : Plot No. 83/6, Firni Road, Udyog Nagar, Mundka, New Delhi 110041 INDIA

Telephone : +91-11-68888708

Mobile : +91-9599992308 | +91-9599992306-10

E-mail : sales@supaflex.co.in | sales1@supaflex.co.in

Follow us on



Download Catalog Here