

Degree of protection: IP65


Hoods

Side entry



Thread	Type
PG13.5	H6B-SE-2B-PG13.5
PG16	H6B-SE-2B-PG16
M20	H6B-SE-2B-M20
M25	H6B-SE-2B-M25

Low construction




Side entry



Thread	Type
PG21	H6B-SEH-2B-PG21
PG29	H6B-SEH-2B-PG29
M25	H6B-SEH-2B-M25
M32	H6B-SEH-2B-M32

High construction




Top entry



Thread	Type
PG13.5	H6B-TE-2B-PG13.5
PG16	H6B-TE-2B-PG16
M20	H6B-TE-2B-M20

Low construction




Top entry



Thread	Type
PG21	H6B-TEH-2B-PG21
PG29	H6B-TEH-2B-PG29
M25	H6B-TEH-2B-M25
M32	H6B-TEH-2B-M32

High construction




Housings

Bulkhead: Mounted



Thread	Type
M20	H6B-SF-1L-M20
2M20	H6B-SF-1L-2M20
M25	H6B-SF-1L-M25
2M25	H6B-SF-1L-2M25
PG16	H6B-SF-1L-PG16
2PG16	H6B-SF-1L-2PG16
With plastic cover	
M20	H6B-SF-1L-CV-M20
2M20	H6B-SF-1L-CV-2M20
M25	H6B-SF-1L-CV-M25
2M25	H6B-SF-1L-CV-2M25
PG16	H6B-SF-1L-CV-PG16
2PG16	H6B-SF-1L-CV-2PG16
With metal cover	
M20	H6B-SF-1L-MCV-M20
2M20	H6B-SF-1L-MCV-2M20
M25	H6B-SF-1L-MCV-M25
2M25	H6B-SF-1L-MCV-2M25
PG16	H6B-SF-1L-MCV-PG16
2PG16	H6B-SF-1L-MCV-2PG16




Degree of protection: IP65

Housings

Surface mounted: Side entry



Thread	Type
---	H6B-BK-1L
	<i>With plastic cover</i>
---	H6B-BK-1L-CV
	<i>With metal cover</i>
---	H6B-BK-1L-MCV




Panel cut out

Surface mounted: Side entry




Thread	Type
M25	H6B-SFH-1L-M25
2M25	H6B-SFH-1L-2M25
M32	H6B-SFH-1L-M32
2M32	H6B-SFH-1L-2M32
PG21	H6B-SFH-1L-PG21
2PG21	H6B-SFH-1L-2PG21
PG29	H6B-SFH-1L-PG29
2PG29	H6B-SFH-1L-2PG29
	<i>With plastic cover</i>
M25	H6B-SF-1L-CV-M25
2M25	H6B-SF-1L-CV-2M25
M32	H6B-SF-1L-CV-M32
2M32	H6B-SF-1L-CV-2M32
PG21	H6B-SF-1L-CV-PG21
2PG21	H6B-SF-1L-CV-2PG21
PG29	H6B-SF-1L-CV-PG29
2PG29	H6B-SF-1L-CV-2PG29
	<i>With metal cover</i>
M25	H6B-SF-1L-CV-M25
2M25	H6B-SF-1L-CV-2M25
M32	H6B-SF-1L-CV-M32
2M32	H6B-SF-1L-CV-2M32
PG21	H6B-SF-1L-CV-PG21
2PG21	H6B-SF-1L-CV-2PG21
PG29	H6B-SF-1L-CV-PG29
2PG29	H6B-SF-1L-CV-2PG29



Housings Cable to cable



Thread	Type
M20	H6B-CCT-1L-M20
M25	H6B-CCT-1L-M25
PG13.5	H6B-CCT-1L-PG13.5
PG16	H6B-CCT-1L-PG16




	h
Low construction	42
High construction	72

Housings Cable to cable



Thread	Type
M13.5	H6B-CCTH-1L-M13.5
M20	H6B-CCTH-1L-M20
M25	H6B-CCTH-1L-M25
PG21	H6B-CCTH-1L-PG21
PG29	H6B-CCTH-1L-PG29


High construction



Protection covers for housings



Thread	Type
---	H6B-CV-2C



Degree of protection: IP65


Hoods

Side entry



Thread	Type
M20	H10B-SE-4B-M20
M25	H10B-SE-4B-M25
PG16	H10B-SE-4B-PG16

Low construction




Side entry



Thread	Type
M20	H10B-SEH-4B-M20
M25	H10B-SEH-4B-M25
M32	H10B-SEH-4B-M32
PG16	H10B-SEH-4B-PG16
PG21	H10B-SEH-4B-PG21
PG29	H10B-SEH-4B-PG29

High construction




Top entry



Thread	Type
M20	H10B-TE-4B-M20
M25	H10B-TE-4B-M25
PG16	H10B-TE-4B-PG16

Low construction




Top entry



Thread	Type
M20	H10B-TEH-4B-M20
M25	H10B-TEH-4B-M25
M32	H10B-TEH-4B-M32
PG16	H10B-TEH-4B-PG16
PG21	H10B-TEH-4B-PG21
PG29	H10B-TEH-4B-PG29

High construction




Housings

Housings, bulkhead mounting




Thread	Type
---	H10B-BK-2L



Housings, surface mounting




Thread	Type
M20	H10B-SF-2L-M20
2M20	H10B-SF-2L-2M20
M25	H10B-SF-2L-M25
2M25	H10B-SF-2L-2M25
PG16	H10B-SF-2L-PG16
2PG16	H10B-SF-2L-2PG16



Housings Cable to cable



Thread	Type
M20	HV10B-CCT-1L-M20
PG16	HV10B-CCT-1L-PG16



	h
Low construction	42
High construction	72

Degree of protection: IP65


Housings

Housings Cable to cable



Thread	Type
M25	H10B-CCTH-1L-M25
M32	H10B-CCTH-1L-M32
PG21	H10B-CCTH-1L-PG21
PG29	H10B-CCTH-1L-PG29

High construction




Hoods

Side entry housing with two levers




Thread	Type
M20	H10B-SE-2L-M20
M25	H10B-SE-2L-M25
PG16	H10B-SE-2L-PG16



Top entry housing with two levers



Thread	Type
PG16	H10B-TE-2L-PG16
M20	H10B-TE-2L-M20
M25	H10B-TE-2L-M25




Housings

Bulkhead mounted with 4 bolts




Thread	Type
---	H10B-BK-4B
---	With plastic cover
---	H10B-BK-4B-CV
---	With metal cover
---	H10B-BK-4B-MCV



Surface mounting with 4 bolts



Thread	Type
M20	H10B-SF-4B-M20
2M20	H10B-SF-4B-2M20
M25	H10B-SF-4B-M25
2M25	H10B-SF-4B-2M25
PG16	H10B-SF-4B-PG16
2PG16	H10B-SF-4B-2PG16
---	With plastic cover
M20	H10B-SF-4B-CV-M20
2M20	H10B-SF-4B-CV-2M20
M25	H10B-SF-4B-CV-M25
2M25	H10B-SF-4B-CV-2M25
PG16	H10B-SF-4B-CV-PG16
2PG16	H10B-SF-4B-CV-2PG16
---	With metal cover
M20	H10B-SF-4B-MCV-M20
2M20	H10B-SF-4B-MCV-2M20
M25	H10B-SF-4B-MCV-M25
2M25	H10B-SF-4B-MCV-2M25
PG16	H10B-SF-4B-MCV-PG16
2PG16	H10B-SF-4B-MCV-2PG16



Degree of protection: IP65


Hoods

Side entry



Thread	Type
M25	H16B-SE-4B-M25
M32	H16B-SE-4B-M32
PG21	H16B-SE-4B-PG21

Low construction




Side entry



Thread	Type
M32	H16B-SEH-4B-M32
M40	H16B-SEH-4B-M40
PG21	H16B-SEH-4B-PG21
PG29	H16B-SEH-4B-PG29

High construction




Top entry



Thread	Type
M25	H16B-TE-4B-M25
M32	H16B-TE-4B-M32
PG21	H16B-TE-4B-PG21

Low construction




Top entry



Thread	Type
M32	H16B-TEH-4B-M32
M40	H16B-TEH-4B-M40
PG21	H16B-TEH-4B-PG21
PG29	H16B-TEH-4B-PG29

High construction




Housings

Housings, bulkhead mounting




Thread	Type
---	H16B-BK-2L



Housings, surface mounting



Thread	Type
M25	H16B-SF-2L-M25
2M25	H16B-SF-2L-2M25
PG21	H16B-SF-2L-PG21
2PG21	H16B-SF-2L-2PG21




	h
Low construction	56
High construction	81

Housings Cable to cable



Thread	Type
M25	HV16B-CCT-1L-M25
M32	HV16B-CCT-1L-M32
PG21	HV16B-CCT-1L-PG21



Degree of protection: IP65


Housings

Housings Cable to cable



Thread	Type
M32	HV16B-CCTH-1L-M32
M40	HV16B-CCTH-1L-M40
PG21	HV16B-CCTH-1L-PG21
PG29	HV16B-CCTH-1L-PG29

High construction




Hoods

Side entry housing with two levers




Thread	Type
M25	H16B-SE-2L-M25
M32	H16B-SE-2L-M32
PG21	H16B-SE-2L-PG21



Top entry housing with two levers



Thread	Type
M25	H16B-TE-2L-M25
M32	H16B-TE-2L-M32
PG21	H16B-TE-2L-PG21




Housings

Bulkhead mounted with 4 bolts




Thread	Type
---	H16B-BK-4B
---	With plastic cover
---	H16B-BK-4B-CV
---	With metal cover
---	H16B-BK-4B-MCV



Surface mounting with 4 bolts



Thread	Type
M25	H16B-SF-4B-M25
2M25	H16B-SF-4B-2M25
PG21	H16B-SF-4B-PG21
2PG21	H16B-SF-4B-2PG21
---	With plastic cover
M25	H16B-SF-4B-CV-M25
2M25	H16B-SF-4B-CV-2M25
PG21	H16B-SF-4B-CV-PG21
2PG21	H16B-SF-4B-CV-2PG21
---	With metal cover
M25	H16B-SF-4B-MCV-M25
2M25	H16B-SF-4B-MCV-2M25
PG21	H16B-SF-4B-MCV-PG21
2PG21	H16B-SF-4B-MCV-2PG21



Degree of protection: IP65


Hoods

Side entry



Thread	Type
M25	H16B-SE-2B-M25
M32	H16B-SE-2B-M32
PG21	H16B-SE-2B-PG21

Low construction




Side entry



Thread	Type
M32	H16B-SEH-2B-M32
M40	H16B-SEH-2B-M40
PG21	H16B-SEH-2B-PG21
PG29	H16B-SEH-2B-PG29

High construction




Top entry



Thread	Type
M25	H16B-TE-2B-M25
M32	H16B-TE-2B-M32
PG21	H16B-TE-2B-PG21

Low construction




Top entry



Thread	Type
M32	H16B-TEH-2B-M32
M40	H16B-TEH-2B-M40
PG21	H16B-TEH-2B-PG21
PG29	H16B-TEH-2B-PG29

High construction





Housings

Housings, bulkhead mounting




Thread	Type
---	H16B-BK-1L
---	With plastic cover
---	H16B-BK-1L-CV
---	With metal cover
---	H16B-BK-1L-MCV



Housings, surface mounting



Thread	Type
M25	H16B-SF-1L-M25
2M25	H16B-SF-1L-2M25
PG21	H16B-SF-1L-PG21
2PG21	H16B-SF-1L-2PG21
---	With plastic cover
M25	H16B-SF-1L-CV-M25
2M25	H16B-SF-1L-CV-2M25
PG21	H16B-SF-1L-CV-PG21
2PG21	H16B-SF-1L-CV-2PG21
---	With metal cover
M25	H16B-SF-1L-MCV-M25
2M25	H16B-SF-1L-MCV-2M25
PG21	H16B-SF-1L-MCV-PG21
2PG21	H16B-SF-1L-MCV-2PG21



Degree of protection: IP65


Hoods

Side entry



Thread	Type
M25	H24B-SE-4B-M25
M32	H24B-SE-4B-M32
PG21	H24B-SE-4B-PG21

Low construction




Side entry



Thread	Type
M32	H24B-SEH-4B-M32
M40	H24B-SEH-4B-M40
PG21	H24B-SEH-4B-PG21
PG29	H24B-SEH-4B-PG29

High construction




Top entry



Thread	Type
M25	H24B-TE-4B-M25
M32	H24B-TE-4B-M32
PG21	H24B-TE-4B-PG21

Low construction




Top entry



Thread	Type
M32	H24B-TEH-4B-M32
M40	H24B-TEH-4B-M40
PG21	H24B-TEH-4B-PG21
PG29	H24B-TEH-4B-PG29

High construction




Housings

Bulkhead mounting




Thread	Type
---	H24B-BK-2L



Surface mounting



Thread	Type
M25	H24B-SF-2L-M25
2M25	H24B-SF-2L-2M25
PG21	H24B-SF-2L-PG21
2PG21	H24B-SF-2L-2PG21




	h
Low construction	56
High construction	81

Housings Cable to cable



Thread	Type
M25	H24B-CCT-1L-M25
M32	H24B-CCT-1L-M32
PG21	H24B-CCT-1L-PG21
PG29	H24B-CCT-1L-PG29



Degree of protection: IP65


Housings

Housings Cable to cable



Thread	Type
M32	H24B-CCTH-1L-M32
M40	H24B-CCTH-1L-M40
PG21	H24B-CCTH-1L-PG21
PG29	H24B-CCTH-1L-PG29

High construction




Hoods

Side entry housing with two levers




Thread	Type
M25	H24B-SE-2L-M25
M32	H24B-SE-2L-M32
PG21	H24B-SE-2L-PG21



Top entry housing with two levers



Thread	Type
M25	H24B-TE-2L-M25
M32	H24B-TE-2L-M32
PG21	H24B-TE-2L-PG21
PG29	H24B-TE-2L-PG29




Housings

Bulkhead mounted with 4 bolts




Thread	Type
---	H24B-BK-4B
---	H24B-BK-4B-CV
---	H24B-BK-4B-MCV



Surface mounting with 4 bolts



Thread	Type
M25	H24B-SF-4B-M25
2M25	H24B-SF-4B-2M25
PG21	H24B-SF-4B-PG21
2PG21	H24B-SF-4B-2PG21
---	H24B-SF-4B-CV-M25
---	H24B-SF-4B-CV-2M25
---	H24B-SF-4B-CV-PG21
---	H24B-SF-4B-CV-2PG21
---	H24B-SF-4B-MCV-M25
---	H24B-SF-4B-MCV-2M25
---	H24B-SF-4B-MCV-PG21
---	H24B-SF-4B-MCV-2PG21



Degree of protection: IP65


Hoods

Side entry



Thread	Type
M25	H24B-SE-2B-M25
M32	H24B-SE-2B-M32
PG21	H24B-SE-2B-PG21

Low construction




Side entry



Thread	Type
M32	H24B-SEH-2B-M32
M40	H24B-SEH-2B-M40
PG21	H24B-SEH-2B-PG21
PG29	H24B-SEH-2B-PG29
PG36	H24B-SEH-2B-PG36

High construction




Top entry



Thread	Type
M25	H24B-TE-2B-M25
M32	H24B-TE-2B-M32
PG21	H24B-TE-2B-PG21
PG29	H24B-TE-2B-PG29

Low construction




Top entry



Thread	Type
M32	H24B-TEH-2B-M32
M40	H24B-TEH-2B-M40
PG21	H24B-TEH-2B-PG21
PG29	H24B-TEH-2B-PG29
PG36	H24B-TEH-2B-PG36

High construction




Housings

Housings, bulkhead mounting



Thread	Type
---	H24B-BK-1L
---	With plastic cover H24B-BK-1L-CV
---	With metal cover H24B-BK-1L-MCV

With protection covers




Housings, surface mounting



Thread	Type
M25	H24B-SF-1L-M25
2M25	H24B-SF-1L-2M25
PG21	H24B-SF-1L-PG21
2PG21	H24B-SF-1L-2PG21
---	With plastic cover
M25	H24B-SF-1L-CV-M25
2M25	H24B-SF-1L-CV-2M25
PG21	H24B-SF-1L-CV-PG21
2PG21	H24B-SF-1L-CV-2PG21
---	With metal cover
M25	H24B-SF-1L-MCV-M25
2M25	H24B-SF-1L-MCV-2M25
PG21	H24B-SF-1L-MCV-PG21
2PG21	H24B-SF-1L-MCV-2PG21

With protection covers



	h
Low construction	56
High construction	81


Degree of protection: IP65

Hoods

Side entry




Thread	Type
M32	H32B-SE-4B-M32
M40	H32B-SE-4B-M40
M50	H32B-SE-4B-M50
PG29	H32B-SE-4B-PG29
PG36	H32B-SE-4B-PG36
PG42	H32B-SE-4B-PG42



Top entry



Thread	Type
M32	H32B-TE-4B-M32
M40	H32B-TE-4B-M40
M50	H32B-TE-4B-M50
PG29	H32B-TE-4B-PG29
PG36	H32B-TE-4B-PG36
PG42	H32B-TE-4B-PG42




Housings

Housings, bulkhead mounting




Thread	Type
---	H32B-BK-2L



Housings, surface mounting




Thread	Type
M32	H32B-SF-2L-M25
2M32	H32B-SF-2L-2M25
M40	H32B-SF-2L-M40
2M40	H32B-SF-2L-2M40
PG29	H32B-SF-2L-PG29
2PG29	H32B-SF-2L-2PG29
PG36	H32B-SF-2L-PG36
2PG36	H32B-SF-2L-2PG36
3PG42	H32B-SF-2L-2PG42



Top entry




Thread	Type
M32	H32B-CCT-2L-M32
M40	H32B-CCT-2L-M40
PG29	H32B-CCT-2L-PG29
PG36	H32B-CCT-2L-PG36
PG42	H32B-CCT-2L-PG42



Housings Cable to cable



Thread	Type
---	H32B-MCV-4B/2




Degree of protection: IP65

Hoods

Side entry




Thread	Type
M32	HV32B-SE-2B-M32
PG29	HV32B-SE-2B-PG29
PG36	HV32B-SE-2B-PG36
PG42	HV32B-SE-2B-PG42



Top entry



Thread	Type
M32	H32B-TE-2B-M32
M40	H32B-TE-2B-M40
M50	H32B-TE-2B-M50
PG29	H32B-TE-2B-PG29
PG36	H32B-TE-2B-PG36
PG42	H32B-TE-2B-PG42




Housings

Bulkhead mounting





Thread	Type
---	HV32B-BK-1L
---	With plastic cover HV32B-BK-1L-CV
---	With metal cover HV32B-BK-1L-MCV



Surface mounting



Thread	Type
M32	HV32B-SF-1L-M32
2M32	HV32B-SF-1L-2M32
M40	HV32B-SF-1L-M40
2M40	HV32B-SF-1L-2M40
PG29	HV32B-SF-1L-PG29
2PG29	HV32B-SF-1L-2PG29
PG36	HV32B-SF-1L-PG36
2PG36	HV32B-SF-1L-2PG36
---	With plastic cover
M32	HV32B-SF-1L-CV-M32
2M32	HV32B-SF-1L-CV-2M32
M40	HV32B-SF-1L-CV-M40
2M40	HV32B-SF-1L-CV-2M40
PG29	HV32B-SF-1L-CV-PG29
2PG29	HV32B-SF-1L-CV-2PG29
PG36	HV32B-SF-1L-CV-PG36
2PG36	HV32B-SF-1L-CV-2PG36
---	With metal cover
M32	HV32B-SF-1L-MCV-M32
2M32	HV32B-SF-1L-MCV-2M32
M40	HV32B-SF-1L-MCV-M40
2M40	HV32B-SF-1L-MCV-2M40
PG29	HV32B-SF-1L-MCV-PG29
2PG29	HV32B-SF-1L-MCV-2PG29
PG36	HV32B-SF-1L-MCV-PG36
2PG36	HV32B-SF-1L-MCV-2PG36




Degree of protection: IP65

Hoods

Side entry




Thread	Type
M32	H48B-SE-2B-M32
M40	H48B-SE-2B-M40
M50	H48B-SE-2B-M50
PG29	H48B-SE-2B-PG29
PG36	H48B-SE-2B-PG36
PG42	H48B-SE-2B-PG42



Top entry



Thread	Type
M32	H48B-TE-2B-M32
M40	H48B-TE-2B-M40
M50	H48B-TE-2B-M50
PG29	H48B-TE-2B-PG29
PG36	H48B-TE-2B-PG36
PG42	H48B-TE-2B-PG42




Housings

Bulkhead mounting




Thread	Type
---	H48B-BK-1L
---	With plastic cover
---	H48B-BK-1L-CV
---	With metal cover
---	H48B-BK-1L-MCV




Surface mounting



Thread	Type
M32	H48B-SF-1L-M32
2M32	H48B-SF-1L-2M32
M40	H48B-SF-1L-M40
2M40	H48B-SF-1L-2M40
PG29	H48B-SF-1L-PG29
2PG29	H48B-SF-1L-2PG29
PG36	H48B-SF-1L-PG36
2PG36	H48B-SF-1L-2PG36
---	With plastic cover
M32	H48B-SF-1L-CV-M32
2M32	H48B-SF-1L-CV-2M32
M40	H48B-SF-1L-CV-M40
2M40	H48B-SF-1L-CV-2M40
PG29	H48B-SF-1L-CV-PG29
2PG29	H48B-SF-1L-CV-2PG29
PG36	H48B-SF-1L-CV-PG36
2PG36	H48B-SF-1L-CV-2PG36
---	With metal cover
M32	H48B-SF-1L-MCV-M32
2M32	H48B-SF-1L-MCV-2M32
M40	H48B-SF-1L-MCV-M40
2M40	H48B-SF-1L-MCV-2M40
PG29	H48B-SF-1L-MCV-PG29
2PG29	H48B-SF-1L-MCV-2PG29
PG36	H48B-SF-1L-MCV-PG36
2PG36	H48B-SF-1L-MCV-2PG36





Materials : Nylon plastic

Seals : Nitrile rubber (NBR)

Protection level : IP67-5 Bar pressure

(Tighten the part and use O-seal)

Ambient temperature : Static -40 °C to 100 °C, short time to 120 °C

Dynamic -20 °C to 80 °C, short time to 100 °C



Supply color : gray

black

Please ask for other colors

AG PG	∅k mm	GL mm	H mm	⌀ mm
7	3-6.5	8	22	16
7	2-5	8	22	16
9	4-8	8	26	19
9	2-6	8	26	19
11	5-10	8	27	22
11	3-7	8	27	22
13.5	6-12	9	28	24
13.5	5-9	9	28	24
16	10-14	10	30	27
16	7-12	10	30	27
19	12-15	10	30	27/28
19	10-12	10	30	27/28
21	13-18	11	35	33
21	9-16	11	35	33

AG PG	∅k mm	GL mm	H mm	⌀ mm
25	16-21	11	34	35/36
25	13-18	11	34	35/36
29	18-25	12	40	41/42
29	13-20	12	40	41/42
36	22-32	14	48	52/53
36	20-26	14	48	52/53
42	32-38	15	49	60/61
42	25-31	15	49	60/61
48	37-44	15	50	64/65
48	29-35	15	50	64/65
63	42-50	27	60	72



AG PG	∅ mm	GL mm	GL(加长) mm	H mm	∅ mm
7	3-6.5	5	10	19	14
7	2-5	5	10	19	14
9	4-8	6	10	20	17
9	2-6	6	10	20	17
11	5-10	6	10	21	20
11	3-7	6	10	21	20
13.5	6-12	6.5	10	22	22
13.5	5-9	6.5	10	22	22
16	10-14	6.5	10	23	24
16	7-12	6.5	10	23	24

Materials : Nylon plastic
 Seals : Nitrile rubber (NBR)
 Protection level : IP67-5 bar pressure
 (Tighten the part and use O-seal)
 Ambient temperature : Static -40 °C to 100 °C, short time to 120 °C
 Dynamic -20 °C to 80 °C, short time to 100 °C
 Supply color : Gray, black, other colors please ask

AG PG	∅ mm	GL mm	GL(加长) mm	H mm	∅ mm
21	13-18	7	12	25	30
21	9-16	7	12	25	30
29	18-25	8	12	29	40
29	13-20	8	12	29	40
36	22-32	8	15	35	50
36	20-26	8	15	35	50
42	32-38	9	15	37	57
42	25-31	9	15	37	57
48	37-44	10	15	38	64
48	29-35	10	15	38	64

Quick Screw Connector



Product Material : PA nylon;
 Thread specification : Metric thread, German thread;
 Operating temperature : -40°C~+110°C ;
 colour : Black and other colors can be customized;
 Product Features : Special design of inner lock and body, only need to pull and insert without tools when loading and unloading
 Method of action : The hose connector is a matching product of the hose, which can be connected to the equipment box or can be connected to the electric equipment with the internal thread in and out, and only need to be inserted into the interface.

PG Thread

Thread Size	Fits to tubing size (mm)	GL (mm)	H (mm)
PG7	AD10	8.5	22.5
PG9	AD13	8.5	23
PG11	AD15.8	10	25
PG13.5	18.5	12	25
PG16	21.2	12	28
PG21	28.5	12	31
PG29	34.5	12	33
PG36	42.5	13.5	35.5
PG48	54.5	15	39

Metric Thread

Thread Size	Fits to tubing size (mm)	GL (mm)	H (mm)
M12×1.5	10	8.5	22.5
M16×1.5	13	8.8	23
M18×1.5	15.8	10	25
M20×1.5	18.5	12	25
M22×1.5	21.2	12	28
M24×1.5	28.5	12	31
M32×1.5	34.5	12	33
M40×1.5	42.5	13.5	35.5
M63×1.5	54.5	15	39

SUPAFLEX

www.supaflex.co.in

Contact Us

SUPA FLEX PVT. LTD.

Address

Plot No. 8/33, III Floor, R.H.S. Complex,
Industrial Area Kirti Nagar, New Delhi 110015
INDIA

Telephone

+91-11-68888708

Mobile

+91-95999992308 | +91-9599992306-10

E-mail

sales@supaflex.co.in | sales1@supaflex.co.in



Follow us on

