





SPECIFICATION				ST-531
Input Power	110/220 VAC, 50/60Hz			
Output Characteristic	Monopolar	Cut	Pure	Max 300W / 1MHz
			Blend	Max 200W / 1MHz
		Coagulation	Coag	Max 150W / 1MHz
			Spray	Max 100W / 1MHz
	Bipolar	Max 150W / 1MHz		
Dimensions	Height	178.7 cm		
	Width	360 cm		
	Length	380.13 cm		
Weight	< 9.257 Kg			

\* Contents of this catalog may be changed without notice to improve this product.



#### SOMETECH Inc.

2F, ByuckSan Digital Valley III, 212-13, Guro-Dong, Guro-Gu, Seoul 152-050, Korea TEL: +82-2-2025-1000(Rep.) FAX: +82-2-2025-1009

## **RADIO** FREQUENCY SURGICAL DEVICE

LAPAROSCOPIC SURGERY AND OPEN SURGERY



#### Model ST-531

- Present the best convenience at surgery with Impedance control function!
- Superior performance especially at Laparoscopic surgery!
- Providing Laparoscopic surgery accessories!








### RADIO FREQUENCY SURGICAL DEVICE

# 300W 1MHz






#### **Constant Power Control by Impedance monitoring**



It prevents output power from being reduced over the area where impedance is increased. If impedance is increased over tissue, it produces more output power automatically so it makes it possible to maintain proper output power level during the surgery.

### Patient plate Monitoring System (Return Electrode Impedance Monitoring)

ST-531 automatically checks for disconnection of the patient plate and if contact between the patient plate and the patient is inadequate, it alarms and stops output power for safety.



#### Safe and Convenient with 300W

ST-531 covers all surgeries in operation room with safe and convenient device control with 300W.



#### Various Cutting, Coagulation and Bipolar modes

2 types of cutting mode (Pure cut, Blend cut), 2 types of coagulation mode (Contact, Spray) and bipolar mode is available and each mode has optimized wave form of radio frequency so it brings the most suitable clinical result in surgery.

#### Pure cutting and powerful coagulation

ST-531 intelligently performs smooth or powerful coagulation according to situation. Pure cutting without spark and no carbonization is feasible due to our advanced electrosugical instruments.

#### Spray coagulation function

Spray coagulation function provides faster coagulation and stable clinical results. It accurately covers the desired area of the surface so it saves operation time and recovery time backed up by faster hemostasis and coagulation.

#### Triple foot switch and Hand probe switch

It provides convenient triple switch for cutting and coagulation. Users can also selectively use triple foot switch or Cut / Coag switch on hand probe.

The hand probe is compatible with other types of electrodes available on the market and all types of single use patient plate are also compatible with patient plate cable connected to ST-531.

#### Compatibility with various patient plates

It is compatible with all types of single use patient plate available on the market so it could be used in convenient and economical way.



#### **Touch Screen**

8.4" color graphic LCD and touch screen for convenience and easy operation.



#### ST-531 Accessories

Laparoscopic Suction Electrodes

Electrosurgical Pencil

Patient Plate Cable

Patient Plate Cable

Foot Switch

Sometech 'L' Hook

(EU)

SOMETECH Needle

Cut Coagulation Bipolar