Details:

- Our company products are as per the norms of Who and USA.
- No heavy metal narcotics or steroid is mixed in preparation in our any medicine.

Usages: For hyper Acidity, Peptic ulcer, Gastric formation, Irritable bowel syndrome, Intestinal disorder ,loss of appetite etc

Acidity: Hyper acidity literally means 'excess of acid' or 'hyper-secretion of acid from stomach', when taken in relation to GUT. But not all patients who come to the doctor complaining of 'acidity' suffer from hyper acidity in true sense.

These patients complaining of 'acidity' can broadly be divided into two categories:

- Common Causes of Hyper acidity:
 - Idiopathic
 - Prolonged ingestion of aspirin or some anti-inflammatory drugs
 - Prolonged alcohol ingestion
 - Eating of spicy and highly seasoned food like chilly, pickles, etc.
 - Stress is also an important cause for hyper acidity
 - Heavy smoking

• Common Symptoms of Hyper acidity:

- A steady pain of short duration in upper abdomen immediately following a large or spicy meal or aspirin ingestion
- Heartburn or sour belching
- Early repletion or satiety after meals
- A sense of abdominal distension or 'bloating'
- Flatulence (burping, belching)
- Vomiting of blood or blood in stools
- If gastritis persists there may be eventual development of anemia Long-standing hyper acidity may lead to formation of ulcers in the stomach which may again lead to complications like perforation. The disorder may be defined as damage to the esophageal mucosa due to reflux of gastric contents.

Etiology: Increased reflux of gastric contents into the esophagus from reduced pressure in the lower oesophageal sphincter and an increased number of transient relaxation of the sphincter are the main factors in the development of reflux esophagitis.

Clinical Features / Symptoms:

- Heart Burn This is a sensation of burning or burning pain located high in the epigastria or behind the lower end of the sternum often radiating upwards behind the sternum. It occurs after meals and is characteristically brought on by lifting or straining due to an increase in the abdominal pressure. Heartburn may also occur on lying down in bed at night, preventing sleep or awakening the patient several hours after the onset of sleep. It is sometimes precipitated immediately by acid food or drink tomatoes, orange, cola, and alcohol.
- Painful Dysphagia The usual cause is the bolus of food passing through an inflamed segment

- of esophagus.
- Regurgitation of Gastric Contents Into the mouth may occur during bending, after large meal or at night. The patient becomes aware of the regurgitation because of a bitter taste in the mouth.
- Sore throat Globus sensation ('lump in throat'), and hoarseness are other consequences.

Dr. Thanki's Acidity Capsule:

- It helps in any kind of acidity and gastric problem. It helps in abdominal ulcers also.
- All medical science medicine having side affects and does not work for a longer period. Our product has no any side effect.
- For Normal patient Two Capsule early in the morning in empty stomach with a glass of water.
- For Chronicle Patient Two Capsule twice a day. Once early in the morning & once at bed time.
- For Ulcer patient Two Capsule thrice a day. Once early in the morning, once at evening & once at bed time
- Avoid Spicy food, oily food, stored and staled food, try to take fresh meal.
- Should take Chilled milk one cup thrice a day.

Key Ingredients:

- Citric Acid
- Hemidesmus Indicus
- Rubia Cordifolia
- Asparagus Racemosus
- Curcuma Longa
- Swarn Makshik bhasm
- Praval Bhasm
- Sankh bhasm
- Vang Bhasm
- Amalki Rasayan

From The Desk of Chairman: We are living in modern age and almost every thing is requiring energy which are utilizing by us to have our life fast and easy. When energy produces the by e product release is pollution in gaseous form. Pollution creates our body acidic so to say the fried or spicy products causes acidity is not fair as our resistance power does not allow to occur the symptom of acidity but when we eat junk food, fried food, spicy food, or stale food it creates more acidity and the symptoms occurs. If a person persist acidity for a longer period there is chance having ulceration which called peptic ulcer. It is very difficult to change diet schedule because life is fast person cant give time to have lunch or breakfast properly every body is in haste.

Haste Makes Waste: The crop is having pesticide which given residue of pesticide in water, food, and in even cow milk as cow also feed the items which are farmed and farmer given pesticide. So there is no chance to save ourselves from this hazardous product. This product will be a need of mankind in future if pollution will not control.

डॉ. यानकी एसेडीटी कैप्सूल

घटकं : अनन्तमूल, मजीठ, अमलको रसायन, शतावर पीली, हल्दी, नीर्चूकार, स्वर्णमाक्षिक भस्म, बंग भस्म, शंख भस्म, प्रयाल भस्म ।

ये दवा मनुष्य के शरीर में वायु किकार, अपल विकार में विशेष लामदायक है । किन्ही - किन्ही रोगियों में अपल की अधिकता के कारण पेट की औतों पर घाव बन जाते है जिन्हें Äbdominal Weer कहते हैं ये दवा लगातार सेमन करने पर पेट के अल्सर को भी जैक कर देता है।

नाजार में इस बीमारी के लिए क्हुत सारी दवाईगाँ उपलब्ध है परन्तु ज्यादातर उन दबाई को सेवन करने से मनुष्य के शरीर में कई प्रकार के दुष्प्रमाव उत्पन्न हो जाते है जबिक हमारी दबा पूर्णतया सुरक्षित है और इसके लग्ने दूरी तक सेवन करने पर भी कोई दुष्प्रभाव देखने को नहीं मिलता है। कैसे तो यह दबा रोगी को 7 दिन में आराम दिलाना शुरू कर देती है लेकिन यदि रोगी इस दक्ष को लगातार छः माह तक निरन्तर सेवन करे तो बायु विकार, अण्ल विकार अथवा पेट में अल्सर जैसी भयानक बीम्परियों से पूरी तरह रोग मुक्त हो जाता है।

मात्रा :

į.

साधारण रोगी के लिए : 2 कैप्सूल सुबह मुखे पेट एक गिलास पानी के साथ।

पुराने रोगी के लिए : 2 कैप्सुल सुबह यूखे पेट पानी के साथ तथा 2 कैप्सूल रात को सीते बक्त पानी के साथ ।

पेट में बाब (Ulcer) बाले रोगियों के लिए : 2 कैप्सूल सुक्क भूखे पेट, 2 कैप्सूल साम को 4 वजे, 2 कैप्सूल शत को सोते वक्त पानी के साथ !

ऐसे रोगियों को हमारी दवा के साथ एक कप ठंड़ा दूध दिन में तीन बार पीना स्वहिए। पट्टा : भुपाट्य भोजन :

अपश्य : ब्यसी घोजन, परिष्ठ भोजन आदि ।

DR. THANKI'S ACIDITY CAPSULE

Ingredients: Anant Mool, Majith, Amalaki Rasayan, Shatawar Pili, Haldi, Neembu chaar, Swammakahlk Bhasma, Bang Bhasma, Shankh Bhasma, Prawal Bhasma.

The medicine helps in any kind of acidity and gastric problems. It helps in abdominal ulcers also.

Many medicines are available in the market for acidity and gastric problems, but almost all of them have side effects, while our medicine has no side effects and is completely safe; however, its good effect is seen after seven days, but after 6 months, the person will get rid of the problem permanently.

For normal patient: Two capsules with a glass of water, early in the morning with empty stomach.

For chronic patient: Two capsules twice a day, early in the morning, and at bed time.

For uicer patient: Two capsules thrice a day, early in the morning, 4 O'Clock in the evening, and at bed time.

Advised to take: One cup of chilled milk thrice in a day.

Avoid: Spicy food, oily food, and stale food, take always fresh meals.