

**Chemical Composition**

Acetamiprid a.i.	20.000 %	w/w
Blend of sodium Dodecyl Benzene Sulfonate, Sodium sulphate & sodium alkylate	4.500 %	w/w
Sodium Citrate, Dihydrate	30.000 %	w/w
Calcium Hydrogen Phosphate Dihydrate	0.100 %	w/w
Colouring agent (Brilliant Blue)	0.050 %	w/w
Lactose Monohydrate	Q.S	

Total : 100.000 % W/W

**Direction Of Use**

Please read enclose leaflet before use.

**Precautions**

1. Keep away from foodstuffs, empty foodstuff containers and animals food.
2. Avoid contact with mouth, eyes and skin.
3. Avoid inhalation the spray mist. Spray in the direction of wind.
4. Wash thoroughly the contaminated clothes and parts of the body after spraying.
5. Do not smoke, drink, eat and chew anything while spraying.
6. Wear full protective clothing while mixing and spraying.

**Antidote**

No specific antidote is known. Treat symptomatically.

**Recommendations**

Acetamiprid 20% SP is a systemic insecticide for the control of aphids, jassids and whiteflies in cotton crop.

**Manufactured By :**

Agri Nova Pesticides,  
3/1, Uma Industrial Estate,  
Post: Vasana (Iyava), Taluka -  
Sanand, Distt. Ahmedabad -  
382 170 (Gujarat)

CIR-64,924/2010-Acetamiprid (SP)(311)-579

**Acetamiprid 20% SP  
(Insecticide)**

एसिटामिप्रिड २० प्रतिशत एस पी

( कीटनाशक )



बच्चों को पहुँच से दूर रखें ।

Keep out of reach of children.

सूखी और ठंडी जगह पर आग से दूर रखें ।

Keep in cool, dry place away from heat and open flame.

Regn. No रजि. नं

Mfg. Lic. मैन्यु. ला. नं.

Batch No बच नं

Mfg. Date मैन्यु. ता.

Exp. Date खत्म होने की तारीख

Net Content/Volume शुद्ध भार, आयतन

Max. Retail P अधिकतम खुराक मूल्य

**रासायनिक संरचना :**

एसिटामिप्रिड राफि. तत्व	
डब्लैंड आफ सोडियम डोडिसाइल बेन्जीन सल्फोनेट	४.५००% भार / भार
सोडियम सल्फेट एण्ड सोडियम एल्केनाइट का मिश्रण	३०.०००% भार / भार
सोडियम साइट्रेट, ड्राईहाइड्रेट	०.१००% भार / भार
कैल्शियम हाइड्रोजन फॉस्फेट ड्राईहाइड्रेट	०.०५०% भार / भार
रंग लाने वाले घटक 'ब्रिलियन्ट ब्लू' लैक्टोज मोनोहाइड्रेट	पर्याप्त मात्रा
योग : १००.००० % भार / भार	

**उपयोग के लिये निर्देश**

उपयोग से पहले संलग्न लीफलेट पढ़ें ।

**प्रयोगकर्ताओं के लिये सावधानिया**

१. खाद्य सामग्री, खाद्य सामग्री के खाली बर्तन और पशुओं के चारे से दूर रहें।
२. मुँह, त्वचा और आँखों के सम्पर्क से बचायें।
३. छिड़काव की वायु को साँस द्वारा अन्दर जाने से बचायें। हवा की दिशा में छिड़काव करें।
४. छिड़काव के बाद दूषित कपड़ों और शरीर के अंगों को अच्छी तरह धोएं।
५. छिड़काव के समय धूम्रपान, खाना, पीना और कुछ चबाना नहीं चाहिए।
६. छिड़काव करते या मिलाते समय पूर्ण सुरक्षात्मक कपड़े पहनें।

**विष नाशक**

कोई विशिष्ट विषनाशक नहीं हैं। लक्षणानुसार इलाज करें।

**उपयोग**

इस कीटनाशक का प्रयोग कपास पर आने वाले तेला, माहू, और सफेद मक्खी की रोकथाम के लिये किया जाता है ।

**निर्माता :**

मैं नोवा पैस्टीसाईड्स, ३/१, उमा इन्डस्ट्रियल इस्टेट, पोस्ट वसाना (इयावा), तालुका सनन्द, जिला अहमदाबाद - ३८२ १७० (गुजरात)

## पेरिटासिप्रिड २० प्रतिशत एस पी

( कीटनाशक )

पेरिटासिप्रिड २० प्रति. सुलनशील पाउडर कपास के माहू/तेला और सफेद मक्खी को रोकथाम के लिये प्रयोग किया जाता है ।

उपयोग

फसल	कीट के नाम	प्रति हेक्टेअर मात्रा	अंतिम छिड़काव तथा फसल काटने के बीच अंतराल ( दिनों)	
			पानी की मात्रा (ली०)	संख्या (आ०)
कपास	केप या माहू	१०	५०	१५
	हवा तेला	१०	५०	१५
	सफेद मक्खी	२०	१००	१५

उपयोग के लिये निर्देश

उपयोग में आने वाले यंत्र :नेपसेक स्प्रेयर, फूट स्प्रेयर, कमेशन नेपसेक बैटरी स्प्रेयर और एस.पी.ई.ई.-एच.टी.पी. पावर स्प्रेयर आदि ।

प्रयोगकर्ताओं के लिये सावधानियां

1. खाद्य सामग्री , खाद्य सामग्री के खाली बर्तन और पशुओं के चारे से दूर रखें।
2. मुंह, त्वचा और आंखों के सम्पर्क से बचाएँ।
3. छिड़काव की वायु को सांस द्वारा अन्दर जाने से बचाएँ। हवा की दिशा में छिड़काव करें।
4. छिड़काव के बाद दूषित कपड़े और शरीर के अलों को अच्छी तरह धोएं।
5. छिड़काव के समय युग्मपान, खाना, पीना और कुछ चबाना नहीं चाहिए।
6. छिड़काव करने या मिलाने समय पूर्ण सुरक्षात्मक कपड़े पहनें।

पौध विशाकटा

सुझाव की मात्रा के अनुसार प्रयोग करने पर यह कीटनाशक पौधविशक नहीं है ।

विष के लक्षण

निलनी, उन्दी सिर-दर्द, चक्कर आना, पेट में दर्द हो सकते हैं।

प्राथमिक चिकित्सा

1. यदि निगल जाये तो जल के पीछे गुस्सुली करके उन्दी करायेँ यह किया तब तक दोहराते रहे जब तक उन्दी द्वारा निकल पदार्थ साक न हो जाए। यदि मरीज बेहोश हो तो उन्दी न करायेँ।
2. यदि कपड़े और त्वचा दूषित हो जाए तो दूषित कपड़े उतार दे और त्वचा को कापी मात्रा में साबुन और पानी से धोएं।
3. यदि आंखें दूषित हो जाये तो उनको कापी मात्रा में सैलडन/साफ पानी से लगायन १०-१५ मिनट तक धोएं।
4. यदि खरखरवारनाशक सांस द्वारा अन्दर गया हो तो रोगी को शुद्ध हवा में ले जायेँ।

विष नाशक

कोई विशिष्ट विषनाशक नहीं है। लक्षणानुसार इलाज करें।

खाली डिब्बों का निपटारा

1. कीटनाशक निर्माताओं या उपयोग कर्ता का कर्तव्य है कि डिब्बों या पात्रों को तोड़फोड़कर आबादी से दूर जमीन में गूँड देना चाहिए।
2. प्रयोग किये गये डिब्बों को दुबारा प्रयोग के लिये वापस सुलाना न जायेँ।
3. डिब्बों या बची हुई कीटनाशक या धोवन का निपटारा इस प्रकार करें कि जिससे आसपास की चीजें, पीने का पानी नुकसान न हो
4. संवहन की शर्तें



**Acetamiprid 20% SP**  
( Insecticide )

Acetamiprid 20% SP is a soluble powder formulation containing 20% of the active ingredient Acetamiprid. Acetamiprid 20% SP is a highly effective systemic insecticide for the control of aphids, jassids and whiteflies in cotton crop.

**Recommendation**

<b>Crop(s)</b>	<b>Common Name of Pest</b>	<b>Dosages /Ha</b>			<b>Waiting Period between last spray to harvest (in days)</b>
		<b>A.I (gm)</b>	<b>Formulation (gm)</b>	<b>Dilution in (Ltr)</b>	
Cotton	Aphids	10	50	500-600	15
	Jassids	10	50	500-600	15
	Whiteflies	20	100	500-600	15

**Direction Of Use**

Knapsack sprayer, foot sprayer, compression knapsack sprayer, compression knapsack battery sprayer and ASPEE-HTP power sprayer.

**Precaution**

1. Keep away from foodstuffs, empty foodstuff containers and animals food.
2. Avoid contact with mouth, eyes and skin.
3. Avoid inhalation the spray mist. Spray in the direction of wind.
4. Wash thoroughly the contaminated clothes and parts of the body after spraying.
5. Do not smoke, drink, eat and chew anything while spraying.
6. Wear full protective clothing while mixing and spraying.

**Phytotoxicity**

The product is not phytotoxic when used as per field recommendation.

**Symptoms Of Poisoning**


Nausea, vomiting, headache, dizziness and stomach-ache may occur.

**FirstAid**

1. If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious.
2. If clothing and skin are contaminated remove the clothes and wash the contaminated skin with copious amount of soap and water.
3. If eyes are contaminated, flush with plenty of saline/clean water for about 10 to 15 minutes.
4. If inhaled, remove the patient to fresh air.

**Antidote**

No specific antidote is known. Treat symptomatically.



**Disposal Of Used Container**

1. Empty containers shall be broken and buried away from habitation
2. The used containers or package shall not be left outside to prevent their re-use
2. The used containers or package shall not be left outside to prevent their re-use
3. The package or surplus material and washing should be disposed off in a safe manner so as to prevent environmental and water pollution

**Storage Conditions**

1. The packages containing the insecticides shall be stored in separate rooms or premises away from the rooms or premises used for storing other articles or shall be kept in separate almirah under lock and key depending upon the quantity and nature of the insecticide
2. The rooms or premises meant for storing the insecticides shall be well built, dry, well-lit, ventilated and of sufficient dimensions to avoid contamination with vapours

**Chemical Composition :**

Acetamiprid a.i.		20.000	%	w/w
Blend of sodium Dodecyl Benzene Sulfonate, Sodium sulphate & sodium alkylate		4.500	%	w/w
Sodium Citrate, Dihydrate		30.000	%	w/w
Calcium Hydrogen Phosphate Dihydrate		0.100	%	w/w
Colouring agent	(Brilliant Blue)	0.050	%	w/w
Lactose Monohydrate	Q.S			
		<b>Total :</b>	<b>100 .000 %</b>	<b>W/W</b>