## **Brief Introduction**

The machine is suitable for bottles, Tin cans and other containers such as plastic jar etc. Mainly used to filling all various pickles product. Such as pickles, mushroom sauce, red oil needle mushroom sauce, kelp silk, fish sauce, dried turnip, preserved vegetables, oilves, apricot bao mushroom, mustard, cedar spices, sour pickled cabbage(pieces), etc. Main function is automatic material feeding, automatic servo screw cup measuring, automatic filling, automatic oil filling, and automatic conveyor, and other function.

## **Technical Parameters**

Model	LW-FLJL60
Container Spection	50-100mm
Pickles Filling Range	20ML-300ML
Oil Filling Range	5ML-100ML
Packaging Speed	30-60pcs/m
Filling Accuracy	1%
Gross Power	3p 380v 4.5kw
Gas Consumption	0.6mpa 0.1m3/m
Dimension of the machine(mm)	1700*1500*2300
Standard Configuration Price(EXW usd)	
High Configuration Price(EXW usd)	

## **Working Flow**







Name.Dora Eman.dor	.,	cadworid.iict
PLC	SIEMENS	
Touch Screen	SIEMENS	
Servo Motor	Panasonic ideas for life	
Conveyor Motor	OTG	
Inverter Of Conveyor Belt	Danfoss	
Button Switch	SIEMENS	
Detection Photoelectric	SICK	
Emergency Switch	IDEC	
Electric Control System	Schneider PElectric	
Chassis	Whole 304 stainless steel	

**Details Display** 









## **Working Flow**

















wn, Songjiang trict, Shanghai