

Sheet1

Model Number	Type	Item Name	Item Description
SK165	Electricity	Copper Voltmeter	Extra Superior Quality bakelite top complete with 3 thick copper plates with terminals
SK264	Charts	Chart rack	Chart rack available in 24/36 charts
SK87	Optics	Concave/Convex Mirror : F .L . 10-30 cm	Optically True-Superior Quality available in 2"/2.5"/3"
SB-20	Microscope Accessories	Double Demonstration Eye Piece	Prismatic most convenient for simultaneous viewing enabling Teacher to demonstrate to the student, in Velvet Lined Box with indian prism/imported prism
SK 26	Specific Gravity Apparatus	"U" Tube Apparatus	Routine Quality with Glass tube
SK 27	Physical Balances Weight Boxes	Physical Balance	a) Good Quality with Aluminium parts Double Divided Door b) Superior Quality Varanasi Make with Brass Parts c) Extra Superior Quality with 1mg sensitivity leader
SK 28	Physical Balances Weight Boxes	Weight Box Physical	Weight Box Physical available in 1 mgm-100gms Superior Quality with brass weight (N.P.) with fraction weights
SK 29	Physical Balances Weight Boxes	Fractional Weights	Fractional Weights available in Physical 1mgm-500 mgm
SK 30	Physical Balances Weight Boxes	Spare Physical Weights	Spare Physical Weights available in 1/2/5/10/20/50/100gm
SK 32	Physical Balances Weight Boxes	Stop Clock	With start, stop and fly back action a) VENUS-MAKE b) Superior ESAL Make
SK 33	Physical Balances Weight Boxes	Stop Watch	With start, stop and fly action c) 1/10" Sec. Metal body Imported d) Electronic Digital : 1/100 Sec.
SK 34	Physical Balances Weight Boxes	Timers	Upto 30 minutes Imported
SK 35	Physical Balances Weight Boxes	Ticker Timer	Complete with step down transformer, paper, roll & Ticker Timer
SK 36	Physical Balances Weight Boxes	Ticker Timer	Branded-fitted on wooden sunmica base-workable on 3 Volts (even with battery cells) with regulator and one roll of tape fitted on clamp.
SK 37	Physical Balances Weight Boxes	Levers of three without weights	
SK 38	Physical Balances Weight Boxes		Aluminium with Brass frame fitted with hook available in single/double/triple
SK 39	Physical Balances Weight Boxes	Pulley Arrangement all system	Comprising of wooden folding frame with two set of weight, four single, two double parallel, two triple pulleys arranged.
SK 40	Physical Balances Weight Boxes	Pulley Arrangement	

Sheet1

SK 41	Physical Balances Weight Boxes	Parallelogram of Forces Apparatus	
SK 42	Physical Balances Weight Boxes	Slotted Weights	a) Set of 5x50 gm including hanger iron N.P. b) Set of 5x1 kg including hanger iron painted c) Set of 5x500 gm including hanger iron painted d) Set of 5x250 gm including hanger iron painted e) Set of 5x50 gm including hanger Brass N.P. f) Set of 5x20 gm including hanger Brass N.P. g) Set of 5x10 gm including hanger Brass N.P.
SK 43	Physical Balances Weight Boxes	Centre of Gravity Toys	Set of three toys With wooden stand / Without stand
SK 45	Physical Balances Weight Boxes	Young's Modulus Apparatus	Searl's Pattern. Fitted with Spherometer and Spirit level complete with tension weight and ceiling bracket : a) Cast Iron Frame b) Brass frame N.P.
SK 46	Physical Balances Weight Boxes	Inclined Plane	a) with arrangement for altering angle of inclination with iron N.P. Roller, pan and pulley : Superior Quality b) Same as (a) above but with Aluminium Arc and pan Iron N.P. Roller c) made of thick wood, well polished base with brass parts i.e. leveling, screws, pulleys, Arc and pan
SK1	Vernier Callipers	Vernier Callipers :	Demonstration Model Wooden with aluminium frame Superior Quality
SK1	Demonstration Working Models	Model of Electric Motor	To work on 6/12 Volt.
SK1	Charts		form two to ten colours.
SK10	Meter Rules & Measuring Accessories	Meter Scale Full	a) Routine Quality b) Sup. Seasoned Wood c) ISI Type
SK10	Charts		Electronic Symbols Part II
SK10	Scientists Portraits		FaradyM
SK100	Optics	Travelling Microscope or Vernier Microscope	a) With cast iron bed b) Export Model Heavy Pattern
SK100a	Optics	Newton Ring Apparatus	
SK101	Optics	S e x t a n t	6 - 7 / 1 6 " Radius - The Brass/Stainless Steel scale is divided to 130 degrees with vernier reading to 12 seconds. Complete with sight tube, inverting and erecting telescopes & micrometer attachment

Sheet1

SK102	Optics	Sextant Stand	Sextant Stand available in Good Quality/with Heavy and nickled parts
SK103	Optics	Spectrometer	
SK104	Optics	Differection Grating	
SK105	Optics	Mercury Vapour Lamp	Mercury Vapour Lamp available in 160 watt
SK106	Optics	Sodium Vapour Lamp	a) Imported with transformer b) Only Sodium Vapour lamp 35 Watt (Imported) c) Only Trasformer for Sodium
SK107	Optics	Dark Box	for sodium & mercury Vapour lamp made of teak wood
SK108	Optics	Reading Telescopes	a) with Scale & Clamp-Aluminum parts b)Brass parts c) with 1" Pillar with Scale & Clamps
SK109	Optics		a) Micrometer screw type b) Drum type direct reading
SK11	Meter Rules & Measuring Accessories	Half Meter Scale	a)Routine Quality b) Sup.Seasoned Wood c)ISI Type
SK11	Charts		Nuclear Rediation Detectors Part I
SK11	Scientists Portraits		Madam Curie
SK110	Optics		
SK111	Optics	Slits	SLITS for finding magnification of telescope to be Fitted in front of reading telescopes. a) Single Slit-Adjustable brass N .P . b) Double Slit-Adjustable brass N . P .
SK112	Optics	Terrestrial & astronomical Telescope with stand	
SK113	Optics	Ground Glass Screen	Ground Glass Screen available in 6"x4"/8"x6"
SK114	Optics	Ground Glass Screen	a) Over Head Projector : With 650 watts halogen lamp. Fresnal lens 250x250 mm writing surface with rack & pinion focusing system and thermo control exhaust fan for cooling in Card Board Box b) Over Head Projector Superior Quality : as per ISI specification complete with all accessories c) Over Head Projector Over Head Projector imported
SK115	Optics	Film Strip and Slide Projector	a) working on 220 volts A .C. mains with 300 watts projection bulb and a cooling fan with attachment to show 2"x2" slides, 35 mm film strips and microslides b) Kinderman with remote

Sheet1

SK116	Optics	Screen for Projector-Collapsible Metal Stand	Screen for Projector-Collapsible Metal Stand available in 40"x40"/52"x72"
SK117	Optics	Projection Slides	5 cm x 5 cm coloured on different topics
SK118	Optics	Magnifier	Superior Quality available in 2"/3"/4" Extra Superior Quality available in 2"/3"/4"
SK119	Magnetism	Bar Magnet:	
SK12	Meter Rules & Measuring Accessories	Cubes of different Metal	Cubes available in 1/2/2.5cm
SK12	Charts		Nuclear Radiation Detectors Part II
SK12	Scientists Portraits		Rutherford
SK120	Magnetism	Horse Shoe Magnet	
SK121	Magnetism	Electromagnet	U shape available in 100 mm
SK122	Magnetism		For A.C. mains Experiment straight wound on iron core fitted (with wooden handle)
SK123	Magnetism	Magnetic Needle	a) With Plastic stand b) Superior on Aluminium stand
SK124	Magnetism	Magnetic Compass for lines of forces	
SK124a	Magnetism	Drawing Board	Drawing Board available in 12"x18"/16 "x 24"
SK125	Magnetism	Dip Circle	Medium Size With aluminium plates
SK126	Magnetism	Vibration Magnetometer	Superior Quality with Teakwood Box
SK127	Magnetism	Deflection Magnetometer	a) Good Quality with one meter long bench b) Extra Superior Quality with thick teakwood , well polished base and leveling screws.
SK128	Magnetism	Magnetic Field Apparatus	
SK129	Magnetism	Earth Inductor	Earth Inductor with 1000/5000 turns
SK13	Meter Rules & Measuring Accessories	Cylinder of different Metals	Cylinder : Cylinder size available in 1x2.5 cm /1x4 cm/1x5 cm
SK13	Charts		Line Spectra of some elements
SK13	Scientists Portraits		Friedrich
SK130	Sound And Waves	Wave Motion Apparatus	for demonstration longitudinal and transverse waves-Extra Superior Quality
SK131	Sound And Waves	Melde's Apparatus	Complete with Electrically tuning fork Heavy pattern, large size with pan & pulley.
SK132	Sound And Waves	Sonometer	a) Superior Quality Well Polished wooden base with 2 wires and 2 sliding bridges without weight size 100x15 cm b) -do- size 100x15 cm sq (for slotted weights please refer item No.HP 42)
SK133	Sound And Waves	Resonance Tube Apparatus	

Sheet1

SK134	Sound And Waves	Tuning Fork Set	a) Set of eight steel N.P. in velvet box b) Ragg's Type in Velvet Box c) Welch Type in Velvet Box d) Export Quality
SK136	Sound And Waves	Rubber Pad for Tuning forks	
SK137	Sound And Waves	Tuning Fork Hammer(Rubber Hammer)	
SK138	Sound And Waves	Kundt's Tube	Comprising of a 3 cm dia tube of glass, one meter long with a borosil glass parts
SK139	Sound And Waves	Apparatus to find the frequency of A.C. mains	Comprising of sonometer an electromagnet and a step down transformer
SK14	Meter Rules & Measuring Accessories	Pendulum Bobs: With hook	Brass available in 18 mm /25 mm Copper available in 18 mm /25 mm Iron available in 18 mm /25/50 mm
SK14	Scientists Portraits		Wholer
SK140	Sound And Waves	Ripple Tank	a) Routine Quality b) Superior Quality c) Superior Quality with thick transparent plastic sheet. All parts are rustless, legs made of brass pipes and stripes made of Aluminium (Leak Proof)
SK141	Sound And Waves	Lycopodium Powder 100 gm	
SK142	Electricity	Acid Accumulator	GLOBE in plastic unbreakable container : a) 2 Volts 20 AH on slow discharge b) 2 Volts 45 AH on slow discharge c) 6 Volts, Superior d) 6 Volts, with arrangement to take 2,4,6 Volts as desired
SK143	Electricity	Ni-Fe Cells (Alkaline Accumulator)	Ni-Fe Cells available in 2 Volts 24Ah/2 Volts 45Ah/2 Volts 75Ah
SK144	Electricity	Dry Cell	
SK145	Electricity	Battery Clips	Battery Clips available in large size
SK146	Electricity	Crocodile Clips	
SK147	Electricity	Battery Hydrometer	For testing SP.Gr. of battery acid
SK148	Electricity	Battery Charger	a) Input 220 Volts, Output 6-12 Volts D.C. regulated current 3 Amp. Fitted With Ammeter b) with heavy duty transformer c) Extra Superior Quality d) Battery Charger Automatic
SK149	Electricity	Step Down Transformer	Stepdown Transformer available in 1/2/3Amp
SK15	Meter Rules & Measuring Accessories	Pendulum Bobs	Pendulum Bobs available in 12mm, 18mm, 25mm

Sheet1

SK15	Charts		Particle Accelerators Cyclotrone
SK15	Scientists Portraits		J.J.Thomson
SK150	Electricity	Step Down Trasformer	Superior Quality-fitted with heavy duty trasformer in metal box Input 220 Volts A.C. &Output 2-12 Volts A.C. Step Down Trasformer available in 1/2/3Amp
SK152	Electricity	Sodium Vapour Lamp Transformer	To operate Sodium Vapour Lamp 35-45
SK153	Electricity	Battery Eliminator	Battery Eliminator available in 300/500 MA,1/2/3 Amp
SK154	Electricity		Battery Eliminator available in 1/2/3Amp
SK155	Electricity	Ammeter, Voltmeter and Galvanometer	a) D.C. moving coil. MO-65 complete with Desk Stand b) MR-80 with stand c) MR 100 with stand
SK156	Electricity	Milliammeter/Millivoltmeter	D.C. moving coil with bakelite desk stand fitted with locking type terminals : Any range a) D.C. moving coil. MO-65 complete with Bakelite Desk Stand b) MR-80 with stand c) MR 100 with stand
SK157	Electricity	Micrometer	a) D.C. moving coil. MO-65 complete with Bakelite Desk Stand b)DC MR-80 with stand c) DCMR 100 with stand
SK158	Electricity	Ammeter/Voltmeter	a) D.C. moving coil. MO-65 complete with Desk Stand b)DC MR-80 with stand c) DCMR 100 with stand
SK159	Electricity	Demonstration Model of Voltmeter/Ammeter/ Galvanometer :	All parts visible in plastic case
SK16	Meter Rules & Measuring Accessories	Plumb Line	Plumb Line available in Brass, Superior Heavy Iron
SK16	Charts		Triode Characterstics Static
SK16	Scientists Portraits		Niels Bohr
SK160	Electricity	Tangent Galvanometer	With three winding of 2,50 and 500 turns complete with compass box: a) Aluminium parts b) Superior-Brass parts c) Extra Superior Quality
SK161	Electricity	Ballistic Galvanometer	

Sheet1

SK162	Electricity	Resistance Wire	SWG No. 24 available in Eureka,Nichrome ,Maganin SWG No. 26 available in Eureka,Nichrome ,Maganin SWG No. 28 available in Eureka,Nichrome ,Maganin SWG No. 30 available in Eureka,Nichrome ,Maganin SWG No. 32 available in Eureka,Nichrome ,Maganin
SK163	Electricity	Resistance Coil	with binding screw in bak a) case-1,2,3,5,10,20,50,100 ohms b) same as above but fitted in wooden box OSAW/PYE Type
SK164	Electricity		Bakelite case fitted with terminals
SK166	Electricity	Water Voltmeter	
SK167	Electricity		4 wire with pencil jockey a) Made of Laminated Board-Good Quality 1 meter long b) Made of seasoned teak wood, well polished with pencil Jockey c) Same as in (c) above Extra Superior Quality.
SK168	Electricity		10 wires with pencil Jockey : a) Good Quality made of Laminted Board b) Superior Quality Made of Seasoned wood, well polished base with pencil jockey and locking terminals c) same as (b) above with sunmica under the wires d) Extra Superior-Same as (c) above with Thick Copper/Brass strips
SK169	Electricity	Metre Bridge	
SK17	Meter Rules & Measuring Accessories	Wooden Wedges	Wooden Wedges avaiable for sonometer size 6"approximately
SK17	Charts		Velocity of Light (Focaults Rotating mirror method)
SK17	Scientists Portraits		Max Planck
SK170	Electricity	Post Office Box	Plug Type having three pairs of 10,100, 1000 ohms and 16 pairs of series ratio coil 1-5000 ohm infinity plug. Fitted with brass blocks. All plugs are inter- changeable : a) Good Quality b) Superior Quality PYE type Manganin wire coils c) Extra Superior Quality
SK171	Electricity	Post Office Box Dial Type	Wooden Box

Sheet1

SK172	Electricity		(Low Resistance)plug type interchangeable plug fitted with brass blocks top and teakwood well polished box a) Good Quality available in 0.001-0.1 Ohms / 0.01-1 Ohms /0.1-10 Ohms / 0.1-50 Ohms b)Maganin available in 0.001-0.1 Ohms / 0.01-1 Ohms /0.1-10 Ohms / 0.1-50 Ohms b) Extra Superior Quality available in 0.001-0.1 Ohms / 0.01-1 Ohms / 0.1-50 Ohms
SK173	Electricity	Fractional Resistance Box	Fractional Resistance boxes in Acrylic(Transperent) Case at an extra cost
SK174	Electricity		a) Good Quality Upto 10 Ohms available in Constant /Manganin wire coil b) Extra Superior Quality Upto 10 Ohm available in Constant /Manganin wire coil
SK175	Electricity	Resistance Box-Plug Type	Brass blocks, interchangeable plug, bakelite top and fitted in teak wood well polished case a) Good Quality available in constant 1-50/1-100/1-500
SK176	Electricity	Extra Superior Quality Equivalent to OSAW	Extra Superior Quality Equivalent to OSAW constant available in 1-50/1-100/1-500/1-1000/1-5000/1-10000
SK177	Electricity	Resistance Box Dial Type	Four Dials : i) Units, tens, hundreds, & thousands good quality constant /Maganin coil ii) Five Dials : Units, tens, hundreds, thousands and Ten thousands Superior Quality constant/magnin coil
SK178	Electricity	Ohm`s Law Apparatus	a) Built-in Rheostat with D.C. meters Superior Quality b) Same as above but with built in IC regulated power supply of 5V. Two D.C. meter (5V & 500mm)
SK179	Electricity	Rheostat	a) Superior Quality available in 6"/8"/10"/12"/14"/16"/18" b) Extra Superior Export Quality with 5.6 cm Dia Grooved Type tube 6"/8"/10"/12"/14"/16"/18"
SK17i	Meter Rules & Measuring Accessories	Wooden Bridges	
SK18	Meter Rules & Measuring Accessories	Geometrical Models & Figures	Geometrical models available in Set of 12- Cube/ Square/Prism/Hexagonal Pyramid/ Triangular Pyramid/Cone/Cylinder Sphere etc.
SK18	Charts		Focaults Rotating mirror method
SK18	Scientists Portraits		Dmitri Ivanowitch
SK180	Electricity	Plug Key	Plug Key available in 1/2/3 way

Sheet1

SK181	Electricity	Commutators	a) Round-Four way plug key b) Round-Six way plug key
SK182	Electricity	Tapping Key	Tapping Key available in single/double
SK183	Electricity	Reversing key	Reversing key having Nickled Parts with superior quality
SK184	Electricity		Complete with Plastic/Glass jar Porous Pot (Charged) and Zinc Rod-Routine Quality
SK185	Electricity	Daniel Cell	Complete with jointless thick copper vessel, Porous Pot & Zinc Rod
SK186	Electricity	Induction Coil	Provided with reversing Switch, Removable spark discharger and contact point-Superior Quality a) Sparking length available in 50 mm b) Sparking length available in 100mm c) Sparking length available in 100 mm
SK187	Electricity	Cathode Ray Tube	
SK188	Electricity	Discharge Tube	
SK189	Electricity	Transistor Characteristics Aps	This apparatus is used to verify INPUT, OUTPUT & TRANSFORMER Characteristics of P - n - P / n - P - n transistor in common emitter/base mode. It is complete unit provided with all component, regulated power supply, meters etc. to perform Features: a) Built-in continuously variable regulated power supply. b) 4 Rectangular moving coil type meters are provided to monitor voltage & current c) Rugged construction, compact unit provided with self explanatory USER'S Manual. d) Special interconnection leads having 4mm plugs
SK189A	Electronics	Zener Diode Characteristics Apparatus	This apparatus is used to find line & load regulation characteristics of Zener diode and also to find out its reverse break down Features : a) Built-in power supply b) Two rectangular Voltmeters to monitor input an output voltages. c) One variable switch provided with different steps of 100,500, 1K, 2K,5K Ohms to work as LOAD to zener Diode d) Special interconnection leads-8 Nos
SK19	Meter Rules & Measuring Accessories	Over Vessel	Over Vessel available in Plastic/Borosil Glass/Copper (500ml)/Copper (1 lit.)
SK19	Charts		Atomic Reactor
SK19	Scientists Portraits		Mendeleef Wilhelm

Sheet1

SK190a	Electronics	PN Junction/Zener Diode Characteristics Apparatus	<p>This apparatus find application to varify</p> <ol style="list-style-type: none"> 1) VI Characteristics of p-n Junction diode(Silicon or Germanium in forward and Reverse bias). 2) VI Characteristics of Zener diode when connected in reverse bias. <p>Features :</p> <ol style="list-style-type: none"> a) Built-in Power Supply b) One rectangle voltmeter and one milli-ammeter (Both meters are dual range) to monitor voltage & current. forward and other in reverse bias. c) One Zener diode d) Special interconnection lead-5 Nos. e) Special Feature : p-n Junction/Zener diodes are mounted panel so that they are visible from outside to students as well as easy to replace when teachers are interested to use any other diode.
SK191	Electronics	Logic Gates Trainer	<p>With regulated power supply of +5V/0.5 Amp. It consists of specially designed brass sockets of 2 mm inner diameter which are press fit by special technique on bakelite panel. Complete functional diagram of each gate is engraved nicely so that the students can make interconnection themselves and verify the truth table. Hence they can realize De-Morgan's theorem and Boolean expressions. User's Manual for performing various experiments is</p> <p>Features :</p> <ol style="list-style-type: none"> a) Regulated Power Supply of +5V/0.5 Amp b) Logic Input Switches-2 Nos. c) 2-Input AND Gate-1 No. d) 2-Input OR Gate-2 Nos. e) 1-Input NOT Gate-2 Nos. f) 2-Input NAND Gate-1 Nos. g) 2-Input NOR Gate-1 Nos h) LED Indicator-1 Nos.
SK192	Electronics		Complete with power supply with circuit diagram fitted with Milliammeter, and Voltmeter
SK193	Electronics	Charging & Discharging of Condenser Apparatus	<p>With two condensers of different values fitted on board complete with supply & meters Superior Quality</p> <p>Semi-Conductor Diode :Fitted on board with terminals and circuit diagram.</p>
SK194	Electronics	Transistor PNP or NPN	Fitted on board with terminals and circuit diagram.
SK195	Electronics	Triode Valve	No. 6H6 fitted on board with terminals and circuit diagram. on board with terminals and circuit diagram.

Sheet1

SK197	Electronics	Half Wave/Full Wave Rectification Apparatus :	
SK2	Vernier Callipers	Vernier Callipers :	Clear Graduation Bright Plated with wheel
SK2	Demonstration Working Models		Two way- Demonstration type Superior Quality
SK2	Charts		Inter-Conversion of Energy forms
SK2	Scientists Portraits		Jean Bapliste Lamark
SK20	Meter Rules & Measuring Accessories	Hydrostic Balance	Hydrostic Balance available in Capacity 250 gm
SK20	Charts		8085-Instruction Set
SK20	Scientists Portraits		Roentgen Archimedes
SK201	Electronics	EM Apparatus	(HelicalMethod) Complete with power supply, Cahtode Ray Tube, Solenoid and low voltage D.C. supply to feed the current to the solenoid.
SK202	Electronics	E/M Apparatus	Complete with power supply with two meters to read. Accelerating voltages and Solenoid Current. Cathode Ray Tube fitted on a fire polished wooden stand and circular Solenoid.
SK202a	Electronics	Cathode Ray Oscilloscope	a) General Purpose Ossllo scope Capacity with 10MHz b) Mhz XY CRT- 1300mm- Display Area 8x10 cm with Dual Trak 20 MHz
SK202b	Electronics	Audio Oscillator	For use with Oscilliocopes Frequency range 20-200KHZ, Output 0-10V
SK203	Electronics	Photo Cell	Complete with Relay Unit, Photo transistor type.
SK204	Electronics	Multimeter	
SK205	Electronics		Digital-Imported, Kit- Assembled with small/medium
SK206	Electronics		
SK207	Miscellaneous Items	Beaker	Soda Glass available in 50/100/250/500/1000ml Borosil available in 50/100/250/500/1000ml
SK21	Specific Gravity Apparatus	Bucket Cylinder	Bucket Cylinder available in 1.5",2"
SK21	Charts		Light-Refraction
SK21	Scientists Portraits		John Dalton

Sheet1

SK211	Miscellaneous Items	D.C.C. Wire	D.C.C. Wire of S.W.G No. 20/22/24
SK214	Miscellaneous Items		
SK215	Miscellaneous Items	Iron Stand	8"x5"x24" Complete with oxidized clamp & boss head Routine with superior quality
SK216	Miscellaneous Items	Soldering Iron	TONI Brand available in 25/35/65 watt
SK217	Miscellaneous Items	Soldering Gun	Soldering Gun available in TONI brand
SK218	Miscellaneous Items	Soldering Wire	Soldering Wire available in Routin/ Superior Quality
SK219	Miscellaneous Items	Soldering Flux	
SK22	Specific Gravity Apparatus	Specific Gravity Bottles	Soda Glass available in 25ml/50ml Borosil Glass available in 25ml/50ml
SK22	Charts		Light-Relation
SK22	Scientists Portraits		Erwin Schrodinger
SK220	Miscellaneous Items	Adhesive	Adhesive available in Small tube Quickfix/Bonifix
SK221	Miscellaneous Items	Cell Holder	Toni-without cell available in 3/6/9 volts
SK222	Miscellaneous Items	Line Tester	Line Tester available in good quality
SK223	Miscellaneous Items		Extension board available in Ordinary-Made of Plastic with sockets. Superior Quality-made on wooden board with sunmica base three socket: one bulb holder etc.
SK224	Miscellaneous Items	Capillary Tube	Capillary Tube available in uniform bore thin
SK225	Miscellaneous Items	Hammer	Hammer with wooden handle available in small/medium/large
SK226	Miscellaneous Items	Plier & Long Nose Piler	Plier & Long Nose Piler available in good quality 6"/8" Superior Quality available in 6"/8"
SK227	Miscellaneous Items	Screw Driver	Screw Driver available with detachable handle
SK227	Miscellaneous Items	Porous Pot Empty	Porous Pot Empty used for daniel cell
SK228	Miscellaneous Items	Tool Kit	a) Complete with all necessary items in Card Board Box b)Standard Quality items in metal folding box
SK228	Miscellaneous Items	Porous Pot	For Lechlanche Cell- Charged in Routine/superior/large
SK229	Miscellaneous Items	Measuring Tape	2 meter long metallic available in 30 meter/ Superior Quality
SK229	Miscellaneous Items	Zinc Rod	Zinc Rod available in Routine/superior
SK23	Specific Gravity Apparatus	Nicholson's Hydrometer Brass N.P.	
SK23	Charts		Light-Dispersion

Sheet1

SK230	Miscellaneous Items	Spring Balance available in 100/250/500/1000g m	
SK230	Miscellaneous Items	Measuring Cylinder	Soda glass available in 50/100/250/500ml
SK231	Miscellaneous Items	G-Lamp	G-Lamp to be fitted with table
SK231	Miscellaneous Items	Measuring Cylinder	Borosil available in 50/100/250/500ml
SK232	Miscellaneous Items	Pulley with Frame	
SK233	Miscellaneous Items	Copper Calorimeter	Copper Calorimeter available in 2"x3"/4"x3"
SK233	Miscellaneous Items	Zinc/Copper/Alluminium/Iron Plates terminals available in Routine quality	Zinc/Copper/Alluminium/Iron Plates terminals available in superior quality
SK234	Miscellaneous Items	Copper Vessel	Copper Vessel available in superior quality
SK234	Miscellaneous Items	Lens Holder for Optical Bench	Lens Holder for Optical Bench available in Routine/supreior quality
SK234	Miscellaneous Items	Lens Holder for Optical Bench	Lens Holder for Optical Bench available in Routine/supreior quality/brass
SK24	Specific Gravity Apparatus	Lactometer	lactometer available in outer test jar with Superior Quality
SK24	Charts		Light-Diffraction
SK24	Scientists Portraits		Sir Fredick Wiliam Herschel
SK244	Miscellaneous Items	Steel Balls	Steel Balls available in different sizes
SK245	Miscellaneous Items	Iron filling/dust	
SK246	Miscellaneous Items	Flexible wire	Flexible wire available in Routine/superior/extra superior quality
SK247	Miscellaneous Items	Helical Spring	
SK248	Miscellaneous Items	Compressed Spring Apparatus	
SK249	Miscellaneous Items	Trolley	Fitted with ball-bearing
SK25	Specific Gravity Apparatus	Hares Apparatus	Routine Quality with glass tube Superior Quality teakwood base with Borosil Glass tube
SK25	Charts		Light-Interference
SK25	Scientists Portraits		Gilbert Newton Lewis
SK250	Miscellaneous Items	Set Square	Plastic large size

Sheet1

SK251	Miscellaneous Items	Wooden Block	Wooden Block with hook 3cm thick
SK252	Miscellaneous Items	Insulated Copper Wire	
SK253	Miscellaneous Items	Filter	
SK254	Miscellaneous Items	Bi-Metallic Strip	Bi-Metallic Strip available With Wooden handle
SK255	Miscellaneous Items	Ball & Ring App.	
SK256	Miscellaneous Items	Bar Breaking	
SK257	Miscellaneous Items	Davy Safely Lamp	
SK258	Miscellaneous Items	Liquid Level App	Liquid Level App available in with stand/borosil glass/neutral glass
SK259	Miscellaneous Items	Bar & Guage App.	Bar & Guage App. available With wooden handle
SK26	Charts		Light-Polarisation
SK260	Miscellaneous Items	Jockey	Jockey available with pencil type spare
SK261	Miscellaneous Items	Hydrometer	Hydrometer is the indian best quality
SK262	Miscellaneous Items	Inertial Balance	Having G-Clamp two steel Strips and platefrom
SK263	Miscellaneous Items	Carbon Eelectrode with terminal	
SK265	Charts	Geometrical Instruements	Geometrical Instruements set with large size in superior quality
SK27	Charts		Lenses-Images
SK28	Charts		Telescopes
SK29	Charts		Lasers
SK3	Vernier Callipers	Vernier Callipers:	Zinc Coated
SK3	Demonstration Working Models		Two way- Demonstration type Superior Quality
SK3	Charts		Inter-Conversion of Energy
SK3	Scientists Portraits		Charles Robert Darwin
SK30	Charts		Magnets & Magnetic Propeties
SK31	Physical Balances Weight Boxes	Forceps Brass C.P.	Forceps : Brass C.P. available in 3"/3.5"
SK31	Charts		Transformers
SK32	Charts		Dynamo
SK33	Charts		Kirchoff's Laws-Wheatstone
SK35	Charts		Dimensional Formulas
SK36	Charts		N.Type, P-Type, Crystals
SK37	Charts		Surface Tension & Capillarity
SK38	Charts		Levers & Pulleys
SK39	Charts		Images of Lenses & Mirrors
SK4	Vernier Callipers	Vernier Callipers:	Extra Superior Quality
SK4	Demonstration Working Models	Model or Telegraph Set	Set of two Superior Quality
SK4	Charts		Meter Principles Part I
SK4	Scientists Portraits		Louis Pastuer

Sheet1

SK40	Charts		Electromagnetic Induction
SK41	Charts		Rectifiers
SK42	Charts		Filters
SK43	Charts		Multivibrators
SK44	Charts		Logic gates
SK45	Charts		Oscillators
SK46	Charts		Telephone
SK47	Charts		Television
SK47a	Physical Balances Weight Boxes	Friction Board	i) With pan, pulley and sliding block ii) 1 meter long for trolley Experiment
SK47b	Physical Balances Weight Boxes	Double Inclined Plane	a) Made of teakwood, well polished and with two wooden block & one spherical steel ball 2.5 cm dia. b) but fitted with two graduated Arcs and fly screw nuts to adjust any angle
SK48	Physical Balances Weight Boxes	Boyle's Law Apparatus	a) All Metal Double Rod : (without mercury) b) but fitted on heavy metal base & 1 meter long teak wood board (without mercury) complete with pressure rubber tubing and glass tubes make
SK48	Charts		Photographic Camera
SK49	Physical Balances Weight Boxes	Charle's Law Apparatus	(constant Volume Air Thermometer) Teak Wood Stand and Borosil glass parts
SK49	Charts		Electrolysis
SK5	Vernier Callipers	Vernier Callipers:	I.M.E. Type in velvet box
SK5	Demonstration Working Models	Model of A.C./D.C. Dynamo	Superior Quality Fitted with Shocking Coils- Wheel Driven
SK5	Charts		Meter Principles Part II
SK5	Scientists Portraits		Galilei Galilei
SK50	Physical Balances Weight Boxes	Pressure Air Thermometer	
SK50	Charts		Electro Magnetism
SK51	Physical Balances Weight Boxes	Mercury Metal	Mercury Metal available in Good Quality/Trippld Distilled
SK51	Charts		Ohm's Law Electric Circuits
SK52	Physical Balances Weight Boxes	Aneroid Barometer	a) Demonstration Type b) German type-poen Dial 10 cm wooden iron painted
SK52	Physical Balances Weight Boxes	Aneroid Barometer	a) Demonstration Type b) German type-poen Dial 10 cm wooden iron painted
SK52	Charts		Computer
SK53	Physical Balances Weight Boxes		a) with Aluminium parts & Aluminium pipe b) Superior Quality with all brass parts c) DARTON'S TYPE-All brass parts made of Borosil Glass
SK53	Charts		Application of liquid Pressure

Sheet1

SK54	Physical Balances Weight Boxes	Show case of Fortin's Barometer	Made of wood with glass on three sides locking arrangement
SK54	Charts		Common Pumps
SK54a	Physical Balances Weight Boxes	Mercury Metal for Barometer	
SK55	Physical Balances Weight Boxes	Viscosity Apparatus	Stroke's Method a) All metal with soda glass tube b) All metal with Borosil Glass tube
SK55	Charts		Newton's Law of motion
SK56	Physical Balances Weight Boxes		Continous flow method
SK56	Charts		Calorimeter
SK57	Physical Balances Weight Boxes	Searl's Surface Tension Balance	On heavy metal base complete set
SK57	Charts	Amplifiers	Amplifiers in single stage
SK58	Physical Balances Weight Boxes	Rising Table or Slow Motion Stand	
SK58	Charts	Amplifiers	Amplifiers in multi stage
SK59	Physical Balances Weight Boxes	Moment of Interia Table	15 cm durallum disc well balance-three or four masses fitted into groove and four heavy weights of different shapes a) With steel rods-good Quality b) Superior Quality with brass rods c) Extra Superior Stainless Steel rods
Sk59	Charts	Amplifiers	Amplifiers in seed back
SK6	Vernier Callipers	Micrometer	Micrometer : Screw Guage Demonstration Model all Metal Large Size Superior Quality
SK6	Micro Meters	Micrometer	Screw Guage Demonstration Model all Metal Large Size Superior Quality
sk6	Demonstration Working Models	Helical Spring	For demonstration of waves (Slinky)
SK6	Charts		Semi-Conductor Fundamentals Part I
SK6	Scientists Portraits		Issac Newton Sir
SK60	Physical Balances Weight Boxes	Cantilever Apparatus	Steel bar one meter long, having hook and pointer one side. Complete with g lamp. Bar is marked at equal intervals a) With slotted weights set of 5x250 gm b) Without Wiegths c) With slotted weights set of 10x250 gm
SK61	Physical Balances Weight Boxes	Bending of Beam Apparatus	Two g lamp having knife edges at top, one meter steel bar fitted with Spherometer. Arrangement for taking direct reading (without weights)
SK62	Physical Balances Weight Boxes	Bar Pendulum or Compound pendulum	a) Steel Chrome Plated bar 100 cm long bored at equal intervals with two removable knife edged and wall bracket b) with bar c) with Stainless Steel bar

Sheet1

SK63	Physical Balances Weight Boxes	Hooks Law	fitted on metal stand with mirror scale a) without weights b) with weights c) Superior quality-large size-about 45 cm high, complete with weight
SK64	Physical Balances Weight Boxes	Spirit Level	Routine Quality available in 4"/6" Superior Quality available in 4"/6"
SK65	Heat Weight Boxes	Co-efficient of Linear Expansions Apparatus	
SK66	Physical Balances Weight Boxes		a) With 2"x3" Copper Calorimeter b) With 3"x4" Copper Calorimeter
SK67	Heat	Copper Calorimeter	Complete with stirrer and thermometer holder in wooden box
SK68	Heat	Newton`s law of Cooling Apparatus	University Pattern
SK69	Heat	Searl`s Thermal conductivity Apparatus	Searl`s Thermal conductivity Apparatus available in Copper rod 12"x1"
SK7	Vernier Callipers	Micrometer	a) With ratchest steel rod available in 10/15/20/25ml b) With stainless steel threaded rod available in 10/15/20/25ml
SK7	Micro Meters	Micrometer	a) With ratchest steel rod available in 10/15/20/25ml b) With stainless steel threaded rod available in 10/15/20/25ml
SK7	Demonstration Working Models	Model of Wind Mill	
SK7	Charts		Semi-Conductor Fundamentals Part II
SK7	Scientists Portraits		C.V. Raman
SK70	Heat	Steam Trap	a) Made of neutral Glass b)Made of Borosil Glass
SK71	Heat	Latent Heat of Steam Apparatus	
SK72	Heat	Hypsometer	Copper available in 20/25 cm
SK73	Heat	Steam Boiler Copper	
SK74	Heat		Sectional Working Model of Steam Engine with Aluminium chamber
SK75	Heat		Model two strokes
SK76	Heat	Gas Engine Model	Model with two strokes
SK76a	Heat	Model Petrol Engine	Model Petrol Engine available in 2/4 strokes
SK77	Heat	Thermometer	a) Routine Quality Alcohol b) Superior Quality Mera / Alcohol c)Extra Superior Screen printed
SK78	Heat	Wall Thermometer	Dial type accurate Superior Quality imported movement
SK79	Heat	Clinical Thermometer	good quality Superior Quality/Hicck/Chinese

Sheet1

SK8	Sphero Meters	Spherometer	Demonstration Model all metal large
SK8	Demonstration Working Models	Model of Solar Cooker	Model of Solar Cooker available in 12"x12"
SK8	Scientists Portraits		Homi Jehangir Bhabha
SK8	Charts		Transistor Charaterstics
SK80	Heat	Wet & Dry Thermometer	a)Fitted on seasoned wood polished table / Plastive b) As per ZEAL with Superior quality c) Thermo-Hygrometer-Dial type- Imported with 2 seals for humidity Temperature
SK81	Heat	Maximum & Minimum Thermometer	Superior Quality Extra Superior Quality ZEAL type
SK82	Optics	Optical Bench	
SK83	Optics	Bi-Prism Assembly	
SK84	Optics	Optical Needles	Optical Needles available in 6mm/thick
SK85	Optics	Concave Lens	Concave Lens available in 5/7/10/15-30/50-100 cm
SK86	Optics	Convex Lens	Convex Lens available in 5/5-7/10/15-30/50-100cm
SK88	Optics	Plano Convex Lens	Plano Convex Lens available in 2"/3"/4"
SK89	Optics	Glass Prism	Glass Prism: Routine Quality available in 1 1/2",2" Superior Quality available in 1 1/2",2"
SK9	Micro meters	Spherometer	a)Brass Scale available in 1/100 ,1/200 b) - Do - Double Disc available in 1/100 ,1/200
SK9	Demonstration Working Models	Model Bio-Gas Plant	
SK9	Charts		Electronic Symbols Part I
SK9	Scientists Portraits		Albert Einstein Michael
SK90	OPTICS	Hollow Spectrometer Prism	i) Made from glass Plates available in 38x38x25/38x38x38/50x50x50 mm
SK91	Optics	Prism for Spectrometer	Crown Glass available in 25x25 /32x32 mm Flint Glass available in 25x25 /32x32 mm
SK92	Optics	Biprism Fresnal's	English Crown Glass available in 32x40 / 40x50 mm
SK93	Optics	Polaroids	Polaroids available in 50 mm mounted in metal frame
SK94	Optics	Liyod's Mirror	
SK95	Optics	Glass Slabs	
SK96	Optics	PlaneMirror Strip	PlaneMirror Strip ordinary available in 100 mm x 25 mm PlaneMirror Strip ordinary available in 100 mm x 50 mm
SK97	Optics	Mirror Strip Holder	Mirror Strip Holder avaiable in wooden,plastic
SK98	Optics	Travelling Microscopes	For Newton's Ring Experiment : Six Position type , heavy pattern Export Quality

Sheet1

SK98a	Optics	Newton Ring Microscopes	Built with Newton ring apparatus
SK99	Optics	Travelling Microscopes	